Universe: Household Fundraising

12/10/2012

**Object List** 

**Frequently Used** Link to Donor Donor Full Name Donor Last, First Name Donor Class Code Donor Classification List Donor As Donation Date **Donation Year Donation Subsystem Donation Type Code Donation Type Description Donation/Pledge Amount Donation Paid Amount Donation Scheduled Amount Payment Amount** Donated to Campaign Donated to Fund Donated to Appeal Donation Gift Code **Donation Parent Gift Code Donation Gift Description Donation Gift Available Date Donation Gift Expiration Date Donor Recognition Level Donation Order Method** Donor's Current Member Type **Donors Current Chapter** Link to Donation **Donation Order No Donation Order Line No Donation Line Status Code** Donor ID Donor Master ID Donor Sub ID Donor Record Type Membership or Fundraising Gift? Is this Donor a Foundation? Does this Donor Match Gifts? **Fiscal Year Begin** Fiscal Year End Twelve Month Period Begin Date **Twelve Month Period End Date Twelve Month Period** 

Rate Structure Rate Code Alert Message

Donation Info

Link to Donation

**Donation Subsystem** 

Donation Date

Donation Amount

Donation Quantity

Original Order Number

Donation Year

Donation Month

Donation Gift Code

**Donation Parent Gift Code** 

Donation Gift Description

Donation Gift Available Date

Donation Gift Expiration Date

Donation Type Code

Donation Order Method

Donation Currency Code

**Donation Currency Symbol** 

**Pledge Information** 

Pledge Payment Frequency

Pledge Periods

Pledge Start Date

Pledge End Date

Installment Amount

## Pledge Payment Schedule Information

Payment Due Date Percentage Due

Due amount

Payment Status Code

Payment Method Code

Process Date

Actual Due Amount

Stock, Planned Giving, Other Donation Planned Giving Plan Type Code

Information : Stock Gift Stock Symbol Stock Description Stock Shares Estimated Stock Value

Brokerage Firm

Brokerdage Contact Name

Brokerage Contact Phone

**Restricted Gift Info** Is Gift Restricted? Purpose of Restriction **Restriction Expiration Date** Matching Gift Info Matching Gift that Matched This Donation Is there a Matching Gift with this Donation? Matching Gift Donation Type Code Matching Gift Donation / Pledge Amount Matching Gift Donation Paid Amount Matching Gift Donation Scheduled Amount Matching Gift Campaign Matching Gift Fund Matching Gift Appeal Matching Gift Donation Code Matching Gift Solicitor Team Matching Gift Solicitor Full Name Matching Gift Solicitor Last First Name Matching Gift Solicitor First Name Matching Gift SolicitorCustomer Last Name Matching Gift Solicitor Search Name Matching Gift Plan ID Matching Gift Donor Full Name Matching Gift Donor Last First Name Matching Gift Donor First Name Matching Gift Donor Last Name Matching Gift Donor Search Name Matching Gift Donor ID Matching Gift Donor Master ID Matching Gift Donor Sub ID Solicitor and Solicitor Teams Solicitor Team Solicitor Full Name Solicitor First Name Solicitor Last Name Solicitor Search Name Solicitor Type Solicitor Team Class Code Team Begin Date Team End Date Solicitor ID Solicitor Master ID Solicitor Sub ID Solicitor Begin Date Solicitor End Date Manager of Solicitor

In Tribute To Info **Donation Tribute Type** In Tribute To Description In Tribute to Full Name In Tribute to First Name In Tribute to Last Name In Tribute to Search Name In Tribute ID In Tribute to Master ID In tribute to Sub ID In Tribute to Record Type Marketing Info Key Code List Code Market Code Number of people mailed to Number of responses Donation Soft Credit Recipient Soft Credit Recipient Full Name Soft Credit Recipient Last First Name Soft Credit Recipient First Name Soft Credit Recipient Last Name Soft Credit Recipient Search Name Soft Credit Recipient Record Type Soft Credit Donor ID Soft Credit Master ID Soft Credit Sub ID **Donation GL Account Info** Batch No **Transaction Date** Transaction Type Account Amount Donor / Prospect (Constituent) Info Link to Constituent **Constituent Full Name Constituent First Name Constituent Last Name Constituent Search Name** Constituent Record Type **Constituent Class Constituent Status** Constituent ID Constituent Master ID Constituent Sub ID

Donor Matching Gift Info Donor Customer ID Donor Master Customer ID Donor Sub Customer ID Matching Gift Effective Date Matching Gift End Date Matching Gift Plan Type Code Per Gift Match up to Amount Per Gift Matching Percentage Plan Limit Amount Fund Appeal Campaign Acknowledgement Name Tribute Type Code In Tribute To Description In Tribute To Customer ID In Tribute To Master Customer ID In Tribute to Sub Customer ID **Total Matched Donations Quantity Total Gift Matched Amount Total Donation Amount** Plan Limit Reached Date **Donor Credits and Recognition** Donor Credits Campaign Fund Appeal Solicitor Team Solicitor Full Name Credit Amount Credit Type Code Donor Name Credit Role Code Soft Credit Full Name Solicitor ID Solicitor Master ID Solicitor Sub ID Soft Credit Donor ID Soft Credit Donor Master ID Soft Credit Donor Sub ID Donor Recognition Donor Master Customer ID Donor Sub Customer ID **Recognition Structure Recognition Structure Description** 

Donor Type **Recognition Level Donation Amount** Award Date **Qualifying Months** Lifetime Flag Minimum Amount Maximum Amount **Donor Profile Demographics** Donor Class Code **Donor Yearly Giving Estimate Donor Income Range Donor Income Source Donor Spouse Name** Donor Spouse Birthday **Donor Children Names** Fund Matching Percentage Fund Matching Limit Yearly Matching Limit Is this Donor a Foundation? Does this Donor Match Gifts? List Demographics List Demographic Code List Demographic Description List Demographic Subcode List Demographic Subcode Description List Demographic Begin Date List Demographic End Date List Demographic Number Donor Name, Address and Communication Name Name Prefix First Name Middle Name Last Name Name Suffix **Full Address** Address Type Code **Company Name** Attention Line Personal Line Job Title Mail Stop Address 1 Address 2

Address 3

Address 4 City State Postal Code **Country Code Country Description** Home Phone Work Phone **Primary Phone** Primary Fax Primary Email Address Primary URL Primary Phone Location Code Primary Email Location Code Primary Fax Location Code Preferred Communication Method **Donor Demographics** Donor Class Code Donor Status Code Ethnicity Code Gender Code Job Function Birth Date Age Donor Current Membership Info Donor Member Type Donor Membership Begin Date Donor Membership End Date Donor Membership Grace Date **Donor Membership Description** Donor Member Since Date Donor Chapter 1 Donor Chapter 2 Donor Section 1 Donor Section 2 Donor Primary Employer Info **Employer Full Name** Employer Last First Name **Employer Search Name Employer Code Employment Reciprocal Code Employment Begin Date Employment End Date** Is this full time Employment? Supervisor Name **Employer Class Code** 

Record Type Primary Employer Matching Percentage Primary Employer Matching Limit Employer ID Employer Master ID Employer Sub ID Is this the Primary Employer? Is the Primary Employer a Foundation? Does the Primary Employer Match Donation? Donor Corporate Relationship Info Subsidiary Full Name **Relationship Code Reciprocal Code Relationship Begin Date** Relationship End Date Customer Class Code Record Type Subsidiary Matching Percentage Subsidiary Matching Limit Subsidiary Customer ID Subsidiary Master Customer ID Subsidiary Sub Customer ID Is the Subsidiary a Foundation? Does the Subsidiary Match Donation? Donor All Relationships Info **Relation Full Name** Relation Last First Name **Relation Search Name** Relationship Type Relationship Code **Reciprocal Code Begin Date** End Date **Relation Class Code** Related Record Type Related ID Related Master ID Related Sub ID Donor / Prospect Contact **Donor Full Name** Call Type Code Activity Date Call Topic Code Call Subject Staff User ID

Person Contacted

Point of Contact Name Followup Date Follwoup Action Date **Resolved Date** Key Code Market Code List Code Point of Contact ID Point of Contact Master ID Point of Contact Sub ID Is this Resolved? **Donor Proposals** Donor ID Donor Master ID Donor Sub ID **Donor Full Name Proposal Description** Proposal Status Code Campaign Fund Appeal **Deadline Date** Submission Date **Review Date Decision Date Requested Amount Expected Amount Contact Person Contact Phone** Donor Household Household ID Household Name Household Class Code Household Class Description Household Status Code Household Status Description Household Status Date Household Address Address 1 Address 2 Address 3 Address 4 City State Postal Code Country

Formatted City State Postal Household Member Member Master Customer ID Member Sub Customer ID Member Last Name Member First Name Household Role Code Household Role Description Begin Date End Date Active Flag Household Fundraising Recognition Fund Recognition ID **Recognition Structure** Customer Type Code **Recognition Level Code** Campaign Fund **Donation Amount** Award Date Household Fundraising Credit Fund Credit ID Txn Date Manual Credit Flag Product Type Code Product ID Order No Order Line No Campaign Fund Appeal Appeal Activity Code Solicitor Team Solicitor Mast Cust Solicitor Sub Cust Description Credit Amount Donor Name Comments Record Type Code Household Creation & Modification Info Houehold Creation Date Household Creation User Household Modification Date Household Modification User

Estimated Giving

Actual Amount Donated Actual Total Amount Donated Campaign Fund Appeal **Donation Code Donation Year Donation Percent Up Donation Percent Down Total Donation Estimate** Currency of Donation **Planned Giving** Donor ID Donor Master ID Donor Sub ID **Donor Full Name** Plan Type Code Plan Status Code **Plan Description Principal Amount** Cost Basis Interest Rate Payout Rate Asset Type Code Payout Frequency Code Terms in Years First Payment Date **Transfer Date** Valuation Date Trustee Staff Assigned Beneficiary 1 **Beneficiary 2** Campaign Fund Appeal **Giving Status Code Giving Status Description Giving Class Code Giving Class Description Miscellaneous Comments** Comment Type Code Comments **Comment Creation Date Comment Creation User Comment Modification Date** 

Comment Modification User

Giving Analysis First Gift Amount First Gift Date First Gift Type First Gift Donor Last Gift Amount Last Gift Date Last Gift Type Last Gift Donor Largest Gift Amount Year To Date Amount Total to Date Amount Total Number of Gifts **Total Orders** Tota Cash Donation Orders **Total Amount Committed Total Amount Received Total Balance Due Total Writeoff Total Pledge Orders Total Amount Pledged Total Pledge Receipts Total Pledge Writeoffs** Total Pledge Balance Fund Raising Campaign Info Campaign Code **Campaign Description** Campaign Class Code Campaign Begin Date Campaign End Date Campaign Goal Amount Campiagn Linked Recognition Structure Parent Campaign Organization ID Organization Unit ID Is Campaign Active? Is this Campaign Date Restricted? Fund Raising Appeals Info Appeal **Appeal Description** 

Appeal Classs Code

- Appeal Goal Amount
- Appeal Suggested Amount

Tribute Type Code In Tribute To Description In Tribute to Full Name In Tribute to Primary Contact Full Name In Tribute to ID In Tribute to Master ID In Tribute to Sub ID In Tribute to Primary Contact ID In Tribute to Primary Contact Master ID In Tribute to Primary Contact Sub ID Is this Appeal Active? Fund Raising Fund Info Fund **Fund Description** Fund Class Code Fund Begin Date Fund End Date Fund Goal Amount In Tribute To Description Tribute Type Code In Tribute to Full Name In Tribute to Primary Contact Full Name In Tribute to Primary Contact ID In Tribute to Primary Contact Master ID In Tribute to Primary Contact Sub ID In Tribute ID In Tribute to Master ID In Tribute to Sub ID Is the Fund Active?

## Conditions

## **Object Properties**

Class: Description:	Frequently Used	
Object: Type:	Link to Donor Character	
Description:	Use this object to open th	
	e selected Donor in Donor Central. You can only link	
	the selected Donor to Don	
	or Central when the report is viewed in view mode.	

Select equivalent:	<pre>'<a href="cmd://Main/OpenV&lt;br">iew?Name=FND006_Constitu ent_Central&amp;Key='+ ORDER_MBR_FND_MTG_CUS_I NFO_VW.BILL_MASTER_CUST OMER_ID+' '+Convert(char, ORDER_MBR_FND_MTG_CUS_ INFO_VW.BILL_SUB_CUSTOME R_ID)+ ' Target=_Blank&gt;'+ORDER_MB R_FND_MTG_CUS_INFO_VW.B ILL_MASTER_CUSTOMER_ID+' </a>'</pre>
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status: Format	dimension 2fn, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Donor Full Name Character The Donor's Full Name fro m the order's bill-to cust omer, which includes the p refix, suffix, and credent ials.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.BILL_LABEL_NAME
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension no 0 in result, in condition, in sort show
Object: Type: Description:	Donor Last, First Name Character The Last, First Name for the order's bill-to customer.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.BILL_LAST_FIRST_NAME

Where equivalent:

Qualification: List of values: Security access level: Can be used: Object status:	dimension 28f, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent:	Donor Class Code Character The Customer Class for the bill-to customer in the order ORDER_MBR_FND_MTG_CUS_I NFO_VW.BILL_CUSTOMER_CL ASS_CODE
Where equivalent:	100_0002
Qualification: List of values: Security access level: Can be used: Object status:	dimension 1vd, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Donor Classification Character A classification given to the donor in terms of hoe they give; i.e. Individual , Corporate, Sponsor. Thi s not the Customer Class. See it in the Donor Central screen.
Select equivalent:	FND_CUSTOMER.DONOR_CLASS_CODE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 28k, editable, manual refresh, not exportable 0 in result, in condition, in sort show

Object: Type: Description:	List Donor As Character This is the List Donor As or List As field from the Complex Donation and Simp le Donation screens. It d efaults from the Donor Mai ntenance screen,"Acknowle dge Gifts As" field.
Select equivalent:	ORDER_FND_DETAIL.LIST_DONOR_AS
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 28j, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent:	Donation Date Date The date that the order was entered into Personify. ORDER_MBR_FND_MTG_CUS_INFO_VW.ORDER_DATE
Qualification: List of values: Security access level: Can be used: Object status:	dimension 28l, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Donation Year Number The year (YYYY) from the order date.
Select equivalent:	year(ORDER_MBR_FND_MTG_CUS_INFO_VW.ORDER_DATE)
Where equivalent:	
Qualification: List of values: Security access level: Can be used:	dimension 2b6, editable, manual refresh, not exportable 0 in result, in condition, in sort

Object status: Format	show Number Category = Number 0
Object:	Donation Subsystem
Type: Description:	Character The subsystem of origin fo r the donation. It will b e from the Fundraising, M eetings, or Membership su bsystem.
Select equivalent: Where equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.SUBSYSTEM
Qualification:	dimension
List of values:	2eq, editable, manual refresh, not exportable
Security access level: Can be used:	0 in result, in condition, in sort
Object status:	show
Object:	Donation Type Code
Type: Description:	Character The Product Type code for Fundraising products. Th ey are CASH, PLEDGE ,ASSE T, INKIND, MATCHING_GIFT
Select equivalent:	, PLANNED_GIVING, STOCK. ORDER_MBR_FND_MTG_CUS_INFO_VW.PRODUCT_TYPE_CODE
Where equivalent:	
Qualification: List of values:	dimension 1va, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Donation Type Description
Type: Description:	Character The text description of the Donation Type Code.
Select equivalent:	APP_CODE_PRODUCT_TYPE.DESCR
Where equivalent:	
·	

Qualification: List of values: Security access level: Can be used: Object status:	dimension 2fi, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Donation/Pledge Amount Number The Donation/Pledge total line Amount. It is the su m of the Sale and Adjustm ent transactions.
Select equivalent: Where equivalent: Qualification: Aggregate function: List of values: Security access level: Can be used: Object status: Format	isnull(sum(FAR_TXN.BASE_AMOUNT),0) FAR_TXN.TXN_TYPE_CODE IN ('4','6') measure Sum no 0 in result, in condition, in sort show Number Category = Currency \$#,##0.00
Object: Type: Description:	Donation Paid Amount Number The net Donation Paid Am ount. It is the sum of Re ceipts, Refunds and Receip t Transfers.
Select equivalent:	Sum(FAR_TXN_PAID_AMOUNT.BASE_AMOUNT)
Where equivalent: Qualification: Aggregate function: List of values: Security access level: Can be used: Object status: Format	FAR_TXN_PAID_AMOUNT.TXN_TYPE_CODE IN ('1','2','3') measure Sum no 0 in result, in condition, in sort show Number Category = Currency

\$#,##0.00

Object:	Donation Scheduled Amount
Туре:	Number
Description:	The total of the Amounts of each schedule line for the pledge.
Select equivalent:	isnull(SUM(FAR_TXN_SCHEDULED_AMOUNT.BASE_AMOUNT),0)*-
Where equivalent:	FAR_TXN_SCHEDULED_AMOUNT.TXN_TYPE_CODE IN ('9')
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Format	Number
	Category = Currency
	\$#,##0.00
Object:	Payment Amount
Туре:	Number
Description:	This is the payment amount.
Select equivalent:	SUM(FAR_TXN.PAYMENT_AMOUNT)
Where equivalent:	
Qualification:	measure
Aggregate function:	None
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Format	Number
	Category = Currency
	\$#,##0;\$-#,##0[Red]
Object:	Donated to Campaign
Type:	Character
Description:	The donation was linked t
	o this campaign and will b
	e counted towards its goal
	e counted towards its goal

Select equivalent:

## ORDER\_MBR\_FND\_MTG\_CUS\_INFO\_VW.CAMPAIGN

Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 1v5, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Donated to Fund Character The donation was linked t o this fund and will be co unted towards its goal.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.FUND
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 1v6, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Donated to Appeal Character The donation was linked t o this appeal and will be counted towards its goal.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.APPEAL
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 1v7, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type:	Donation Gift Code Character

Description:	The product code that was selected for the donation.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.PRODUCT_CODE
Where equivalent:	
Qualification:	dimension
List of values:	1v8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Donation Parent Gift Code
Туре:	Character
Description:	The parent product code f
	or the product code that w
	as selected for the donati
	on.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.PARENT_PRODUCT
Where equivalent:	
Qualification:	dimension
List of values:	2e9, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Donation Gift Description
Туре:	Character
Description:	The invoice description for the product code of the donation.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.PRODUCT_LONG_NAME
Where equivalent:	
Qualification:	dimension
List of values:	2e6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Donation Gift Available Date
Туре:	Date
Description:	The date that the product
	used for the donation was

Select equivalent: Where equivalent:	ready for use in the syste m. PRODUCT.AVAILABLE_DATE
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2f1, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent:	Donation Gift Expiration Date Date The date that the product used for the donation was deactivated for use in the system. PRODUCT.EXPIRATION_DATE
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2f2, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Donor Recognition Level Character This is the Donor Recognit ion Level code assigned ac cording to the Recognition Level giving amount chart setup for a Campaign or a II Campaigns.
Select equivalent: Where equivalent:	FND_CUSTOMER_RECOGNITION.RECOGNITION_LEVEL_CODE
Qualification: List of values: Security access level: Can be used: Object status:	dimension 28g, editable, manual refresh, not exportable 0 in result, in condition, in sort show

Object: Type: Description:	Donation Order Method Character The media for how the don ation came to the organiza tion. Typically the codes are Email, Fax, Mail or W eb.
Select equivalent: Where equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.ORDER_METHOD_CODE
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2b2, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Donor's Current Member Type Character The Type is based on the donor's current national m embership. It is directly defined in the membershi p product's Level2 code.
Select equivalent: Where equivalent:	CUS_CURRENT_MEMBERSHIP_INFO.NATIONAL_LEVEL2
Qualification: List of values: Security access level: Can be used: Object status:	dimension 28h, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Donors Current Chapter Character A person will be a current member in this first chap ter of many. This is the description from that chap ter product.
Select equivalent:	CUS_CURRENT_MEMBERSHIP_INFO.CHAPTER_DESCR

Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 28i, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Link to Donation Character Use this object to open th e selected Donation in Ord er Entry. You can only lin k the selected Donation to Order Entry when the rep ort is viewed in view mode
Select equivalent:	DO NOT USE THIS IN A REPORT ' <a href="cmd://Main/OpenView?Name=ORD001&amp;Key='+&lt;br">ORDER_MBR_FND_MTG_CUS_I NFO_VW.ORDER_NO+ ' Targ et=_Blank&gt;'+rtrim(Convert (char,ORDER_MBR_FND_MTG_ CUS_INFO_VW.ORDER_NO)) + '-' + rtrim(Convert(char, ORDER_MBR_FND_MTG_CUS_I NFO_VW.ORDER_LINE_NO))+' </a> '
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status: Format	dimension 2ix, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Donation Order No Character The Donation Order Number found in table ORDER_DET AIL through view ORDER_M BR_FND_MTG_CUS_INFO_VW.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.ORDER_NO

Where equivalent:

Qualification: List of values:	dimension 28p, editable, manual refresh, not exportable 0 in result, in condition, in sort		
Can be used: Object status:			
Object:	Donation Order Line No		
Туре:	Number		
Description:	The Donation Order Line N		
	o found in table ORDER_DE		
	TAIL through view ORDER_		
	MBR_FND_MTG_CUS_INFO_VW		
Select equivalent: Where equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.ORDER_LINE_NO		
Qualification:	dimension		
List of values:	28q, editable, manual refresh, not exportable		
Security access level:	0		
Can be used:	in result, in condition, in sort		
Object status:	show		
Object:	Donation Line Status Code		
Туре:	Character		
Description:	The Line Status found in t		
	able ORDER_DETAIL through		
	view ORDER_MBR_FND_MTG_		
	CUS_INFO_VW. Values can		
	be ACTIVE, CANCELLED or P		
	ROFORMA.		
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.LINE_STATUS_CODE		
Where equivalent:			
Qualification:	dimension		
List of values:	2f3, editable, manual refresh, not exportable		
Security access level:	0		
Can be used:	the many state the second state and the second		
Object status:	in result, in condition, in sort show		

Object:

Donor ID

Type: Description:	Character The Bill-to Customer ID if the Bill-to Sub ID is 0. If the Sub ID is "1" or gr eater then this will be th e Bill-to Customer ID + Su b ID; i.e.; 000005786434- 1.
Select equivalent: Where equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.Bill_CusMastSubID
Qualification: List of values: Security access level: Can be used: Object status:	dimension 28t, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Donor Master ID Character The Bill-to Customer Id of the donation order.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_I NFO_VW.BILL_MASTER_CUST OMER_ID
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 28u, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Donor Sub ID Number The Bill-to Sub Id of the donation order.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.BILL_SUB_CUSTOMER_ID
Where equivalent:	
Qualification: List of values:	dimension 28v, editable, manual refresh, not exportable

Security access level: Can be used: Object status:	0 in result, in condition, in sort show
Object: Type: Description:	Donor Record Type Character The Donor's customer RECO RD_TYPE. Values are I(in dividual), C(company), S(s ubgroup) and T(committee)
Select equivalent:	ORDER_MBR_FND_MTG_CUS_I NFO_VW.BILL_CUSTOMER_RE CORD_TYPE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 1vc, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent:	Membership or Fundraising Gift? Character Flag to identify whether o rder's product is from the Membership or Fundraisin g subsystem. The values will be either 'Membershi p' or 'Fundraising'. case when ORDER_MBR_FND_ MTG_CUS_INFO_VW.SUBSYST EM = 'MBR' THEN 'Members hip' ELSE 'Fundraising' en
Where equivalent:	d
Qualification: List of values: Security access level: Can be used:	dimension 28o, editable, manual refresh, not exportable 0 in result, in condition, in sort

Object status:	show
Object: Type: Description:	Is this Donor a Foundation? Character Flag to identify Donor a F oundation. This is found on the FND160 Donor/Pros pect screen on the Confide ntial Info tab.
Select equivalent:	FND_CUSTOMER.FOUNDATION_FLAG
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 28r, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Does this Donor Match Gifts? Character Flag to identify if the Do nor matches gifts of emply ees. This is found on the FND160 Donor/Prospect s creen in the top section.
Select equivalent:	FND_CUSTOMER.FND_MATCHING_FLAG
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 28s, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Fiscal Year Begin Date The fiscal year begin date for the logged in users o rganization id. This is d erived from the Organizati

\_\_\_\_

Select equivalent: Where equivalent:	on Fiscal Year End month using the current year. FICAL_YEAR_ORGANIZATION.FISCAL_YEAR_BEGIN
Qualification:	dimension
List of values:	2es, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	Fiscal Year End Date The fiscal year end for th e logged in users organiza tion id. This is derived from the Organization Fisc al Year End month using t he current year. FICAL_YEAR_ORGANIZATION.FISCAL_YEAR_END
Qualification:	dimension
List of values:	2et, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	Twelve Month Period Begin Date Date Use the system date (toda y) month and year and the first of this month. FICAL_YEAR_ORGANIZATION. TWELVE_MONTH_PERIOD_BEG IN_DATE
Qualification:	dimension
List of values:	2fd, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Twelve Month Period End Date
Туре:	Date
Description:	Use the system date (toda
	y) month and year and the
	n minus one month, next y
	ear.
Select equivalent:	FICAL_YEAR_ORGANIZATION.TWELVE_MONTH_PERIOD_END_D
Where equivalent:	
Qualification:	dimension
List of values:	2fe, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Twelve Month Period
Туре:	Date
Description:	The twelve month period o
	bject is exclusively used
	in Dashboard calcuations
	which returns the date tha
	t is twelve months prior t
	o the current date
Select equivalent:	TWELVE_MONTH_PERIOD.TWELVE_MONTH_PERIOD
Where equivalent:	
Qualification:	dimension
List of values:	2fm, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Rate Structure
Type:	Character
Description:	The donation Order Detail RATE_STRUCTURE used for pricing.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.RATE_STRUCTURE
Where equivalent:	
Qualification:	dimension
List of values:	2ev, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
	Page 30/230

Object:	Rate Code
Type:	Character
Description:	The donation Order Detail RATE_CODE used for pricing.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.RATE_CODE
Where equivalent:	
Qualification:	dimension
List of values:	2eu, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Alert Message
Type:	Character
Description:	Text entered by staff that
	describe something urgen
	t that needs to be made vi
	sible to all users when th
	ey open the constituent's
O de star i de st	record.
Select equivalent:	CUS_ALERT.ALERT_MESSAGE
Where equivalent:	
Qualification:	dimension
List of values:	2jt, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
ass:	Donation Info
escription:	
Object:	Link to Donation
Туре:	Character
Description:	Use this object to open th
	e selected Donation in Ord
	er Entry. You can only lin
	k the selected Donation to
	Order Entry when the rep
	ort is viewed in view mode
	NOT FOR USE IN A REPORT

Select equivalent:	<pre>'<a '="" et="_Blank" href="cmd://Main/OpenView?Name=ORD001&amp;Key='+" nfo_vw.order_no+="" order_mbr_fnd_mtg_cus_i="" targ="">'+rtrim(Convert (char,ORDER_MBR_FND_MTG_ CUS_INFO_VW.ORDER_NO)) + '-' + rtrim(Convert(char, ORDER_MBR_FND_MTG_CUS_I NFO_VW.ORDER_LINE_NO))+' </a>'</pre>
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status: Format	dimension 2iy, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object:	Donation Subsystem
Туре:	Character
Description:	The subsytem of origin for the donation. It will be FND, MBR or MTG.
Select equivalent: Where equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.SUBSYSTEM
Qualification:	dimension
List of values:	2ep, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Donation Date
Туре:	Donation Date
Description:	The Order Date for the donation line.
Select equivalent: Where equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.ORDER_DATE
Qualification:	dimension
List of values:	2dy, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Donation Amount
Туре:	Number
Description:	The net amount of the ord
	er line that includes quan
	tity, adjustments and disc
	ounts.
Select equivalent:	sum(ORDER_MBR_FND_MTG_C
	US_INFO_VW.BASE_TOTAL_A
	MOUNT)
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Format	Number
	Category = Number
	0.00;0.00
Object:	Donation Quantity
Туре:	Number
Description:	The quantity from the order line.
Select equivalent:	ORDER MBR FND MTG CUS INFO VW.ORDER QTY
Where equivalent:	
Qualification:	measure
Aggregate function:	Sum
List of values:	2er, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
•	
Object:	
-	Original Order Number Character
Туре:	Original Order Number Character
Type: Description:	Original Order Number Character This is not used in Fundraising.
Type: Description: Select equivalent:	Original Order Number Character
Type: Description: Select equivalent: Where equivalent:	Original Order Number Character This is not used in Fundraising. ORDER_DETAIL_ORIGINAL_ORDER_NO.ORIGINAL_ORDER_NC
Type: Description: Select equivalent:	Original Order Number Character This is not used in Fundraising.

Security access level: Can be used: Object status:	0 in result, in condition, in sort show
Object: Type: Description:	Donation Year Number The Donation Year (YYYY) derived from the date of the order.
Select equivalent:	year(ORDER_MBR_FND_MTG_CUS_INFO_VW.ORDER_DATE)
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status: Format	dimension 2e0, editable, manual refresh, not exportable 0 in result, in condition, in sort show Number Category = Number 0
Object: Type: Description: Select equivalent: Where equivalent:	Donation Month Number The month (MM) derived from the order date. month(ORDER_MBR_FND_MTG_CUS_INFO_VW.ORDER_DATE)
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2ee, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Donation Gift Code Character This is the Donation Gift Product Code
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.PRODUCT_CODE
Where equivalent:	
Qualification: List of values:	dimension 2ea, editable, manual refresh, not exportable

Security access level: Can be used: Object status:	0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent:	Donation Parent Gift Code Character This is the donation parent product code. ORDER_MBR_FND_MTG_CUS_INFO_VW.PARENT_PRODUCT
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2eb, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent:	Donation Gift Description Character This is the Donation gift description from the Invoi ce Description of the prod uct. ORDER_MBR_FND_MTG_CUS_INFO_VW.PRODUCT_LONG_NAME
Where equivalent: Qualification: List of values: Security access level: Can be used: Object status:	dimension 2e8, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent:	Donation Gift Available Date Date This the first date that this gift code can be used in an order. PRODUCT.AVAILABLE_DATE
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2ey, editable, manual refresh, not exportable 0 in result, in condition, in sort show

Object: Type: Description: Select equivalent: Where equivalent:	Donation Gift Expiration Date Date This is the last date that a gift code can be used. PRODUCT.EXPIRATION_DATE
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2f0, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Donation Type Code Character One of 8 Donation Type C odes: Cash, Pledge, Stocks , In-kind, Memo, Matching gift, Asset, Planned Givi ng.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.PRODUCT_TYPE_CODE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2e1, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent:	Donation Order Method Character The method by which the d onation was received: fax, mail, email, web. ORDER_MBR_FND_MTG_CUS_INFO_VW.ORDER_METHOD_CODE
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2e3, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object:	Donation Currency Code
--	---
Туре:	Character
Description:	The currency in which the donation was received; i.e. "USD".
Select equivalent:	APP_ORGANIZATION.CURRENCY_CODE
Where equivalent:	
Qualification:	dimension
List of values:	2f6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type:	Donation Currency Symbol Character
Description:	The symbol "\$" for the currency used to create the order.
Select equivalent:	APP_CURRENCY.CURRENCY_SYMBOL
Where equivalent:	
Qualification:	dimension
List of values:	2f5, editable, manual refresh, not exportable
Security access level:	0
-	
Can be used:	in result, in condition, in sort
Can be used: Object status:	in result, in condition, in sort show
Object status: ass: escription: Object:	show Pledge Information Pledge Payment Frequency
Object status: ass: escription: Object: Type:	show Pledge Information Pledge Payment Frequency Character
Object status: ass: escription: Object:	show Pledge Information Pledge Payment Frequency Character The Pledge Payment code t
Object status: ass: escription: Object: Type:	show Pledge Information Pledge Payment Frequency Character The Pledge Payment code t o define the duration of t
Object status: ass: escription: Object: Type:	show Pledge Information Pledge Payment Frequency Character The Pledge Payment code t o define the duration of t he payment plan: monthly,
Object status: ass: escription: Object: Type:	show Pledge Information Pledge Payment Frequency Character The Pledge Payment code t o define the duration of t
Object status: ass: escription: Object: Type:	show Pledge Information Pledge Payment Frequency Character The Pledge Payment code t o define the duration of t he payment plan: monthly,
Object status: ass: escription: Object: Type: Description:	show Pledge Information Pledge Payment Frequency Character The Pledge Payment code t o define the duration of t he payment plan: monthly, quarterly, annually.
Object status: ass: escription: Object: Type: Description: Select equivalent: Where equivalent: Qualification:	show Pledge Information Pledge Payment Frequency Character The Pledge Payment code t o define the duration of t he payment plan: monthly, quarterly, annually.
Object status: ass: escription: Object: Type: Description: Select equivalent: Where equivalent:	show Pledge Information Pledge Payment Frequency Character The Pledge Payment code t o define the duration of t he payment plan: monthly, quarterly, annually. ORDER_FND_DETAIL.PLEDGE_PAYMENT_FREQUENCY_CODE
Object status: ass: escription: Object: Type: Description: Select equivalent: Where equivalent: Qualification:	show Pledge Information Pledge Payment Frequency Character The Pledge Payment code t o define the duration of t he payment plan: monthly, quarterly, annually. ORDER_FND_DETAIL.PLEDGE_PAYMENT_FREQUENCY_CODE dimension

Object status:	show
Object: Type: Description:	Pledge Periods Number The number of months in t he duration of the schedul ed payments for the pledg e.
Select equivalent:	ORDER_FND_DETAIL.PLEDGE_PERIODS
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 1yo, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type:	Pledge Start Date Date
Description:	The first scheduled payment date of a pledge.
Select equivalent:	ORDER_FND_DETAIL.PLEDGE_START_DATE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 1yp, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Pledge End Date Date The last scheduled payment date of a pledge.
Select equivalent:	ORDER_FND_DETAIL.PLEDGE_END_DATE
Where equivalent:	
Qualification: List of values:	dimension 1yq, editable, manual refresh, not exportable

Security access level: Can be used: Object status:	0 in result, in condition, in sort show
Object: Type: Description:	Installment Amount Number The whole amount of the pledge.
Select equivalent:	ORDER_FND_DETAIL.INSTALLMENT_AMOUNT
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 1yr, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Class: Description:	Pledge Payment Schedule Information
Object: Type: Description: Select equivalent: Where equivalent:	Payment Due Date Date The Due Date for each scheduled payment. ORDER_PAYMENT_SCHEDULE.DUE_DATE
Qualification: List of values: Security access level: Can be used: Object status:	dimension 22c, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Percentage Due Number The Percentage Due for each scheduled payment.
Select equivalent:	ORDER_PAYMENT_SCHEDULE.PERCENTAGE_DUE
Where equivalent:	

Qualification: List of values: Security access level: Can be used: Object status:	dimension 22d, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type:	Due amount Number
Description:	The Due amount for each scheduled payment.
Select equivalent:	ORDER_PAYMENT_SCHEDULE.DUE_AMOUNT
Where equivalent:	
Qualification:	dimension
List of values:	22e, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Payment Status Code
Туре:	Character
Description:	The Payment Status Code f
	or the scheduled payment
	of Paid or Pending.
Select equivalent:	ORDER_PAYMENT_SCHEDULE.PAYMENT_STATUS_CODE
Where equivalent:	
Qualification:	dimension
List of values:	22f, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Payment Method Code
Туре:	Character
Description:	The Payment Method Code f
	or vehicle for payment of
	the scheduled amount:NONE
	, CC (credit card), ORD001
	order screen, MANUAL, DD

	(direct debit).
Select equivalent:	ORDER_PAYMENT_SCHEDULE.PROCESS_METHOD_CODE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 22g, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Process Date Date The Process Date for this scheduled amount.
Select equivalent:	ORDER_PAYMENT_SCHEDULE.PROCESS_DATE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 22h, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Actual Due Amount Number The amount due today acco rding to the payment sche dule. The sum of schedul e lines due today minus pa yments.
Select equivalent:	ORDER_PAYMENT_SCHEDULE.ACTUAL_DUE_AMOUNT
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 22i, editable, manual refresh, not exportable 0 in result, in condition, in sort show

Class: Description:	Stock, Planned Giving, Other Donation
Object: Type: Description:	Planned Giving Plan Type Code Character The Planned Giving Plan T ype Code that was used to when recording the donati on.
Select equivalent:	ORDER_FND_DETAIL.PLAN_TYPE_CODE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 1ye, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Class: Description:	Information : Stock Gift
Object: Type: Description: Select equivalent:	Stock Symbol Character The Stock Symbol entered in the Stock Donation. ORDER_FND_DETAIL.STOCK_SYMBOL
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 1yg, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Stock Description Character The Stock Description for the Stock Symbol as the n ame of the company.

Select equivalent:	ORDER_FND_DETAIL.STOCK_DESCRIPTION
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 1yh, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object:	Stock Shares
Туре:	Number
Description:	The number of Stock Shares in the donation order.
Select equivalent:	ORDER_FND_DETAIL.STOCK_SHARES
Where equivalent:	
Qualification:	dimension
List of values:	1yi, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Estimated Stock Value
Туре:	Number
Description:	The Estimated Stock Value of the total shares in the order.
Select equivalent:	ORDER_FND_DETAIL.ESTIMATED_VALUE
Where equivalent:	
Qualification:	dimension
List of values:	1yj, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Brokerage Firm
Туре:	Character
Description:	The Brokerage Firm used to trade the stock in the donation order.
Select equivalent:	ORDER_FND_DETAIL.BROKERAGE_FIRM

Where equivalent:	
Qualification:	dimension
List of values:	1yk, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Brokerdage Contact Name
Туре:	Character
Description:	The Brokerdage Contact Name for the stock trade in this order.
Select equivalent:	ORDER_FND_DETAIL.BROKERAGE_CONTACT_NAME
Where equivalent:	
Qualification:	dimension
List of values:	1yl, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Brokerage Contact Phone
Туре:	Character
Description:	The Brokerage contact's p
	hone number for the broke
	rage firm used in this ord
	er.
Select equivalent:	ORDER_FND_DETAIL.BROKERAGE_CONTACT_PHONE
Where equivalent:	
Qualification:	dimension
List of values:	1ym, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
lass:	Restricted Gift Info
escription:	
·	

Object: Type: Description:	Is Gift Restricted? Character Flag to identify if the Gift is Restricted
Select equivalent:	ORDER_FND_DETAIL.RESTRICTED_GIFT_FLAG
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 28w, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object:	Purpose of Restriction
Type: Description:	Character The Purpose of Restriction as decribed in free text.
Select equivalent:	ORDER_FND_DETAIL.RESTRICTION_PURPOSE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 28x, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Restriction Expiration Date Date Its the Restriction Expira tion Date where the money should be recognized as r evenue.
Select equivalent:	ORDER_FND_DETAIL.RESTRICTION_EXPIRATION_DATE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 28y, editable, manual refresh, not exportable 0 in result, in condition, in sort show

Class: Description:	Matching Gift Info
No objects	
Class: Description:	Matching Gift that Matched This Donation
Object: Type: Description:	Is there a Matching Gift with this Donation? Character Flag to identify if there Is a Matching Gift with this Donation.
Select equivalent:	CASE WHEN ORDER_FND_DET AIL.MATCHING_GIFT_ORDER_ NO IS NULL THEN 'N' ELSE 'Y' end
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 20h, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent:	Matching Gift Donation Type Code Character The Matching Gift Donation's Type Code: Cash, Pledge ORDER_MBR_FND_CUS_INFO _MATCHING_GIFT_VW.Produc t_Type_Code
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 291, editable, manual refresh, not exportable 0 in result, in condition, in sort show

Object: Type: Description:	Matching Gift Donation / Pledge Amount Number The Matching Gift Donatio n / Pledge Amount, whi is the sum of the sale amoun t and adjustments.
Select equivalent:	isnull(sum(FAR_TXN_MATCH ING_GIFT_DONATION_PLEDG E_AMOUNT.Base_Amount),0)
Where equivalent: Qualification:	FAR_TXN_MATCHING_GIFT_D ONATION_PLEDGE_AMOUNT.T XN_TYPE_CODE IN ('4','6') measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Format	Number Category = Currency \$#,##0.00
Object:	Matching Gift Donation Paid Amount
Туре:	Number
	Number The Matching Gift Donatio
Туре:	Number The Matching Gift Donatio n Paid Amount. It is the
Туре:	Number The Matching Gift Donatio
Туре:	Number The Matching Gift Donatio n Paid Amount. It is the sum of receipts, receipt t ransfers and refunds. isnull(sum(FAR_TXN_MATCH
Type: Description:	Number The Matching Gift Donatio n Paid Amount. It is the sum of receipts, receipt t ransfers and refunds. isnull(sum(FAR_TXN_MATCH ING_GIFT_DONATION_PAID_A
Type: Description:	Number The Matching Gift Donatio n Paid Amount. It is the sum of receipts, receipt t ransfers and refunds. isnull(sum(FAR_TXN_MATCH
Type: Description: Select equivalent:	Number The Matching Gift Donatio n Paid Amount. It is the sum of receipts, receipt t ransfers and refunds. isnull(sum(FAR_TXN_MATCH ING_GIFT_DONATION_PAID_A MOUNT.BASE_AMOUNT),0)*-1
Type: Description: Select equivalent:	Number The Matching Gift Donatio n Paid Amount. It is the sum of receipts, receipt t ransfers and refunds. isnull(sum(FAR_TXN_MATCH ING_GIFT_DONATION_PAID_A MOUNT.BASE_AMOUNT),0)*-1 FAR_TXN_MATCHING_GIFT_D
Type: Description: Select equivalent: Where equivalent:	Number The Matching Gift Donatio n Paid Amount. It is the sum of receipts, receipt t ransfers and refunds. isnull(sum(FAR_TXN_MATCH ING_GIFT_DONATION_PAID_A MOUNT.BASE_AMOUNT),0)*-1 FAR_TXN_MATCHING_GIFT_D ONATION_PAID_AMOUNT.TXN
Type: Description: Select equivalent: Where equivalent: Qualification:	Number The Matching Gift Donatio n Paid Amount. It is the sum of receipts, receipt t ransfers and refunds. isnull(sum(FAR_TXN_MATCH ING_GIFT_DONATION_PAID_A MOUNT.BASE_AMOUNT),0)*-1 FAR_TXN_MATCHING_GIFT_D ONATION_PAID_AMOUNT.TXN _TYPE_CODE IN ('1','2','3' ) measure
Type: Description: Select equivalent: Where equivalent: Qualification: Aggregate function:	Number The Matching Gift Donatio n Paid Amount. It is the sum of receipts, receipt t ransfers and refunds. isnull(sum(FAR_TXN_MATCH ING_GIFT_DONATION_PAID_A MOUNT.BASE_AMOUNT),0)*-1 FAR_TXN_MATCHING_GIFT_D ONATION_PAID_AMOUNT.TXN _TYPE_CODE IN ('1','2','3' ) measure Sum
Type: Description: Select equivalent: Where equivalent: Qualification: Aggregate function: List of values:	Number The Matching Gift Donatio n Paid Amount. It is the sum of receipts, receipt t ransfers and refunds. isnull(sum(FAR_TXN_MATCH ING_GIFT_DONATION_PAID_A MOUNT.BASE_AMOUNT),0)*-1 FAR_TXN_MATCHING_GIFT_D ONATION_PAID_AMOUNT.TXN _TYPE_CODE IN ('1','2','3' ) measure Sum no
Type: Description: Select equivalent: Where equivalent: Qualification: Aggregate function: List of values: Security access level:	Number The Matching Gift Donatio n Paid Amount. It is the sum of receipts, receipt t ransfers and refunds. isnull(sum(FAR_TXN_MATCH ING_GIFT_DONATION_PAID_A MOUNT.BASE_AMOUNT),0)*-1 FAR_TXN_MATCHING_GIFT_D ONATION_PAID_AMOUNT.TXN _TYPE_CODE IN ('1','2','3' ) measure Sum no 0
Type: Description: Select equivalent: Where equivalent: Where equivalent: Qualification: Aggregate function: List of values: Security access level: Can be used:	Number The Matching Gift Donatio n Paid Amount. It is the sum of receipts, receipt t ransfers and refunds. isnull(sum(FAR_TXN_MATCH ING_GIFT_DONATION_PAID_A MOUNT.BASE_AMOUNT),0)*-1 FAR_TXN_MATCHING_GIFT_D ONATION_PAID_AMOUNT.TXN _TYPE_CODE IN ('1','2','3' ) measure Sum no 0 in result, in condition, in sort
Type: Description: Select equivalent: Where equivalent: Qualification: Aggregate function: List of values: Security access level:	Number The Matching Gift Donatio n Paid Amount. It is the sum of receipts, receipt t ransfers and refunds. isnull(sum(FAR_TXN_MATCH ING_GIFT_DONATION_PAID_A MOUNT.BASE_AMOUNT),0)*-1 FAR_TXN_MATCHING_GIFT_D ONATION_PAID_AMOUNT.TXN _TYPE_CODE IN ('1','2','3' ) measure Sum no 0

	Category = Currency \$#,##0.00
Object:	Matching Gift Donation Scheduled Amount
Type: Description:	Number The Matching Gift Donatio
Description.	n Scheduled Amount. It's
	the total unpaid scheduled
	amount
Select equivalent:	isnull(SUM(FAR_TXN_MATCH
	ING_GIFT_SCHEDULED_AMOU
	NT.BASE_AMOUNT),0)*-1
Where equivalent:	FAR_TXN_MATCHING_GIFT_S
	CHEDULED_AMOUNT.TXN_TYP E_CODE IN ('9')
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Format	Number
	Category = Currency \$#,##0.00
Object:	Matching Gift Campaign
Туре:	Character
Description:	The Matching Gift Campaign, which is designated in the order.
Select equivalent:	ORDER_MBR_FND_CUS_INFO_MATCHING_GIFT_VW.Campaign
Where equivalent:	
Qualification:	dimension
List of values:	295, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Matching Gift Fund
Туре:	Character
Description:	The Matching Gift Fund, which is designated in the order.

Select equivalent:	ORDER_MBR_FND_CUS_INFO_MATCHING_GIFT_VW.Fund
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 296, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Matching Gift Appeal Character The Matching Gift Appeal, which is designated in the order.
Select equivalent:	ORDER_MBR_FND_CUS_INFO_MATCHING_GIFT_VW.Appeal
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 297, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent:	Matching Gift Donation Code Character The Matching Gift Donatio n Code. It's the Parent P roduct + Product Code in t he product for the donatio n. ORDER_MBR_FND_CUS_INFO
Select equivalent:	_MATCHING_GIFT_VW.PAREN T_PRODUCT + '-' + ORDER_ MBR_FND_CUS_INFO_MATCHI NG_GIFT_VW.PRODUCT_CODE
Where equivalent:	
Qualification: List of values: Security access level:	dimension 20o, editable, manual refresh, not exportable 0

Can be used: Object status:	in result, in condition, in sort show
Object:	Matching Gift Solicitor Team
Type: Description:	Character The Matching Gift Solicito
	r Team from the Solicitor
	in the donation order.
Select equivalent:	ORDER_MBR_FND_CUS_INFO
	_MATCHING_GIFT_VW.SOLICI
	TOR_TEAM
Where equivalent:	
Qualification:	dimension
List of values:	20r, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Matching Gift Solicitor Full Name
Type:	Character
Description:	The label name format of the solicitor.
Select equivalent:	CUSTOMER_MATCHING_GIFT_SOLICITOR.LABEL_NAME
Where equivalent:	
Qualification:	dimension
List of values:	20s, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Matching Gift Solicitor Last First Name
Type:	Character
Description:	The last, first name of the donation's solicitor.
Select equivalent:	CUSTOMER_MATCHING_GIFT_SOLICITOR.LAST_FIRST_NAME
Where equivalent:	

Qualification: List of values: Security access level: Can be used: Object status:	dimension 298, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type:	Matching Gift Solicitor First Name
Description:	The first name of the donation's solicitor.
Select equivalent:	CUSTOMER_MATCHING_GIFT_SOLICITOR.FIRST_NAME
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 20t, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Matching Gift SolicitorCustomer Last Name Character The last name of the donation's solicitor.
Select equivalent:	CUSTOMER_MATCHING_GIFT_SOLICITOR.LAST_NAME
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 20u, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Matching Gift Solicitor Search Name Character The search name of the donation's solicitor. (last;first,middle)
Select equivalent:	CUSTOMER_MATCHING_GIFT_SOLICITOR.SEARCH_NAME
Where equivalent:	
Qualification:	dimension

List of values:	20v, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description:	Matching Gift Plan ID Number The Matching Gift Plan ID assigned to a matching co mpany that was used in th e donation order.
Select equivalent:	ORDER_FND_DETAIL_MATCHI NG_GIFT.CUS_FND_MATCHIN G_GIFT_PLAN_ID
Where equivalent:	
Qualification:	dimension
List of values:	21q, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Matching Gift Donor Full Name
Type:	Character
Description:	Matching Gift order bill-to label name.
Select equivalent:	ORDER_MBR_FND_CUS_INFO_ MATCHING_GIFT_VW.BILL_LA BEL_NAME
Where equivalent:	
Qualification:	dimension
List of values:	2ap, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Matching Gift Donor Last First Name
Type:	Character
Description:	Matching Gift Donor Last,

	First name of the bill-to customer on the order.
Select equivalent:	ORDER_MBR_FND_CUS_INFO_ MATCHING_GIFT_VW.BILL_LA ST_FIRST_NAME
Where equivalent:	
Qualification:	dimension
List of values:	2aq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Matching Gift Donor First Name
Туре:	Character
Description:	The Matching Gift donor's First Name for the order bill-to customer
Select equivalent:	ORDER_MBR_FND_CUS_INFO_
	MATCHING_GIFT_VW.BILL_FI
	RST_NAME
Where equivalent:	
Qualification:	dimension
List of values:	2ar, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Matching Gift Donor Last Name
Type:	Character
Description:	The Matching Gift donor's Last Name for the order bill-to customer
Select equivalent:	ORDER_MBR_FND_CUS_INFO_
	MATCHING_GIFT_VW.BILL_LA ST_NAME
Where equivalent:	
Qualification:	dimension
List of values:	2as, editable, manual refresh, not exportable

Can be used: Object status:	in result, in condition, in sort show
Object:	Matching Gift Donor Search Name
Туре:	Character
Description:	The Matching Gift donor's
	Search Name for the bill-
	to customer in the order.
	The format is last;first;m iddle.
	ladie.
Select equivalent:	ORDER_MBR_FND_CUS_INFO_
·	MATCHING_GIFT_VW.BILL_SE
	ARCH_NAME
Where equivalent:	
Qualification:	dimension
List of values:	2at, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Matching Gift Donor ID
Type:	Character
Description:	The Matching Gift Donor ID is the bill-to customer.
Select equivalent:	CASE WHEN ORDER_MBR_FND
coloci oquivaloni.	_CUS_INFO_MATCHING_GIFT_
	VW.BILL_SUB_CUSTOMER_ID
	= 0 THEN ORDER_MBR_FND_
	CUS_INFO_MATCHING_GIFT_
	VW.BILL_MASTER_CUSTOMER
	_ID ELSE ORDER_MBR_FND_
	CUS_INFO_MATCHING_GIFT_
	VW.BILL_MASTER_CUSTOMER
	_ID + '-' + CONVERT(VARCH
	AR, ORDER_MBR_FND_CUS_IN
	FO_MATCHING_GIFT_VW.BILL
	_SUB_CUSTOMER_ID) END

Qualification:

dimension

List of values:	2al, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Matching Gift Donor Master ID
Type:	Character
Description:	The Matching Gift donor's Bill-to Customer Master ID
Select equivalent:	ORDER_MBR_FND_CUS_INFO _MATCHING_GIFT_VW.BILL_M ASTER_CUSTOMER_ID
Where equivalent:	
Qualification:	dimension
List of values:	2am, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Matching Gift Donor Sub ID
Type:	Number
Description:	The Matching Gift donor's Bill-to Customer Sub ID
Select equivalent:	ORDER_MBR_FND_CUS_INFO _MATCHING_GIFT_VW.BILL_S UB_CUSTOMER_ID
Where equivalent:	
Qualification:	dimension
List of values:	2an, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Class: Description:	Solicitor and Solicitor Teams
Object:	Solicitor Team
Type:	Character
Description:	The code setup to represent a Solicitor Team

Select equivalent:	FND_CUSTOMER_SOLICITOR_TEAM.TEAM
Where equivalent:	
Qualification: List of values: Security access level:	dimension 2a8, editable, manual refresh, not exportable 0
Can be used: Object status:	in result, in condition, in sort show
Object: Type:	Solicitor Full Name Character
Description:	The label name of a Solici
	tor. Prefix + First + Mid
	dle + Last + Suffix + Cred
	entials.
Select equivalent:	CUSTOMER_SOLICITOR.LABEL_NAME
Where equivalent:	
Qualification:	dimension
List of values:	2a9, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Solicitor First Name
Туре:	Character
Description:	The first name of a Solicitor.
Select equivalent:	CUSTOMER_SOLICITOR.FIRST_NAME
Where equivalent:	
Qualification:	dimension
List of values:	2aa, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:

## Solicitor Last Name

Type: Description:	Character The first last name of a Solicitor.
Select equivalent:	CUSTOMER_SOLICITOR.LAST_NAME
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2ab, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Solicitor Search Name Character The search name of a Solicitor.
Select equivalent:	CUSTOMER_SOLICITOR.SEARCH_NAME
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2ac, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Solicitor Type Character The high level category of a Solicitor. The values are Individual, Company, Committee or Subgroup.
Select equivalent:	CUSTOMER_SOLICITOR.RECORD_TYPE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2ad, editable, manual refresh, not exportable 0 in result, in condition, in sort show

Object: Type: Description:	Solicitor Team Class Code Character The classification of a So licitor Team is maintained in system codes for the T ype TEAM_CLASS.
Select equivalent:	FND_CUSTOMER_SOLICITOR_TEAM.TEAM_CLASS_CODE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2ae, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Team Begin Date Date The Begin Date is the firs t day a solicitor team is availble to be assigned. It's maintained on the Sol icitor Team Maintenance s creen.
Select equivalent:	FND_CUSTOMER_SOLICITOR_TEAM.BEGIN_DATE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2af, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Team End Date Date The End Date is the last d ay a solicitor team is ava ilble to be assigned. It's maintained on the Solicit or Team Maintenance scree

Select equivalent:	n. FND_CUSTOMER_SOLICITOR_TEAM.END_DATE
Where equivalent:	
Qualification: List of values: Security access level:	dimension 2ag, editable, manual refresh, not exportable 0
Can be used: Object status:	in result, in condition, in sort show
Object: Type:	Solicitor ID Character
Description:	The Solicitor ID is the same as Solicitor Master ID
Select equivalent:	CASE WHEN FND_SOLICITOR.SOLICITOR_SUB_CUST = 0 THEN FND_SOLICITOR.SOLICITOR_MAST_CUST ELSE FND_SOLICITOR.SOLICITOR_MAST_CUST + '-' + CONVERT(VARCHAR, FND_SOLICITOR.SOLICITOR_ MAST_CUST ) END
Where equivalent:	
Qualification:	dimension
List of values:	2ah, editable, manual refresh, not exportable
Security access level:	
Can be used: Object status:	in result, in condition, in sort show
Object:	Solicitor Master ID
Type:	Character
•	
Type:	Character
Type: Description:	Character The Solicitor Master ID is the Customer ID of this solicitor.
Type: Description: Select equivalent:	Character The Solicitor Master ID is the Customer ID of this solicitor. FND_SOLICITOR.SOLICITOR_MAST_CUST dimension
Type: Description: Select equivalent: Where equivalent: Qualification: List of values:	Character The Solicitor Master ID is the Customer ID of this solicitor. FND_SOLICITOR.SOLICITOR_MAST_CUST
Type: Description: Select equivalent: Where equivalent: Qualification: List of values: Security access level:	Character The Solicitor Master ID is the Customer ID of this solicitor. FND_SOLICITOR.SOLICITOR_MAST_CUST dimension 2ai, editable, manual refresh, not exportable 0
Type: Description: Select equivalent: Where equivalent: Qualification: List of values:	Character The Solicitor Master ID is the Customer ID of this solicitor. FND_SOLICITOR.SOLICITOR_MAST_CUST dimension 2ai, editable, manual refresh, not exportable

Object:	Solicitor Sub ID
Type:	Number
Description:	The Solicitor Sub ID is the Customer Sub ID of this solicitor.
Select equivalent:	FND_SOLICITOR.SOLICITOR_SUB_CUST
Where equivalent:	
Qualification:	dimension
List of values:	2aj, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	Solicitor Begin Date Date Identifies the date the solicitor started as a fundraising solicitor. FND_SOLICITOR.BEGIN_DATE
Qualification:	dimension
List of values:	2j7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	Solicitor End Date Date Identifies the date the so licitor's service as a fund raising solicitor ended. FND_SOLICITOR.END_DATE
Qualification:	dimension
List of values:	2j8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Type: Description: Select equivalent: Where equivalent:	Manager of Solicitor Character Name of the Personify user that manages each solicitor. PSM_USER_MANAGER.USER_NAME
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2js, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Class: Description:	In Tribute To Info
Object: Type: Description:	Donation Tribute Type Character The Donation Tribute Type assigned in the donation order. The codes are naint ained in system codes, Ty pe TRIBUTE_TYPE. EX: In Honor Of, In Memory Of
Select equivalent: Where equivalent:	ORDER_FND_DETAIL.TRIBUTE_TYPE_CODE
Qualification: List of values: Security access level: Can be used: Object status:	dimension 1yx, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	In Tribute To Description Character The free text description of the tribute entered int o the donation order.
Select equivalent:	ORDER_FND_DETAIL.IN_TRIBUTE_TO_DESCR
Where equivalent:	

Qualification: List of values: Security access level: Can be used: Object status:	dimension 1yy, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type:	In Tribute to Full Name Character
Description:	The Donation In Tribute to customer's label name.
Select equivalent:	CUSTOMER_IN_TRIBUTE_TO.LABEL_NAME
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 200, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	In Tribute to First Name Character The Donation In Tribute to customer's first name.
Select equivalent:	CUSTOMER_IN_TRIBUTE_TO.FIRST_NAME
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 201, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	In Tribute to Last Name Character The Donation In Tribute to customer's last name.
Select equivalent:	CUSTOMER_IN_TRIBUTE_TO.LAST_NAME
Where equivalent:	
Qualification:	dimension

List of values: Security access level: Can be used: Object status:	202, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type:	In Tribute to Search Name Character
Description:	The Donation In Tribute to customer's search name.
Select equivalent:	CUSTOMER_SOLICITOR.SEARCH_NAME
Where equivalent:	
Qualification: List of values: Security access level: Can be used:	dimension 203, editable, manual refresh, not exportable 0
Object status:	in result, in condition, in sort show
Object:	In Tribute ID
Туре:	Character
Description:	The Donation In Tribute to customer's Customer ID
Select equivalent:	CASE WHEN ORDER_FND_DET
	AIL.IN_TRIBUTE_TO_SUB_CU
	ST = 0 THEN ORDER_FND_DE
	TAIL.IN_TRIBUTE_TO_MAST_
	CUST ELSE ORDER_FND_DETA
	IL.IN_TRIBUTE_TO_MAST_CU
	ST+ '-' + CONVERT(VARCHA
	R, ORDER_FND_DETAIL.IN_T
	RIBUTE_TO_SUB_CUST) END
Where equivalent:	
Qualification:	dimension
List of values:	20e, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	In Tribute to Master ID
Туре:	Character

Description:	The Donation In Tribute to customer's Customer ID.
Select equivalent:	ORDER_FND_DETAIL.IN_TRIBUTE_TO_MAST_CUST
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 20f, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	In tribute to Sub ID Number The Donation In Tribute to customer's Customer sub ID.
Select equivalent:	ORDER_FND_DETAIL.IN_TRIBUTE_TO_SUB_CUST
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 20g, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	In Tribute to Record Type Character The high level category of a Solicitor. The values are Individual, Company, Committee or Subgroup.
Select equivalent:	CUSTOMER_SOLICITOR.RECORD_TYPE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 204, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Class:	Marketing Info

Description:

Object: Type: Description:	Key Code Character The Key Code is defined a s the use of a marketing I ist and is added to the or der line.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.KEY_CODE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 1y5, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	List Code Character The List Code is defined a s a marketing list and is added to the order line.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.LIST_CODE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 1y6, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Market Code Character The Market Code is define d as a marketing campaign effort and is added to th e order line.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.MARKET_CODE

Where equivalent:	
Qualification:	dimension
List of values: Security access level:	1y7, editable, manual refresh, not exportable 0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Number of people mailed to
Туре:	Number
Description:	The Number of people mail
	ed to in a marketing comm
	unication by snail-mail, e
	mail or fax.
Select equivalent:	MKT_MAIL_MASTER.RECORDS_PROCESSED
Where equivalent:	
Qualification:	dimension
List of values:	2bc, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type:	Number of responses Number
Description:	The Number of responses i
	s a count of orders with s
	ame key, list or market co
	de.
Select equivalent: Where equivalent:	COUNT(ORDER_MBR_FND_MTG_CUS_INFO_VW.ORDER_NO)
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
lass: escription:	Donation Soft Credit Recipient

Object:	Soft Credit Recipient Full Name
Туре:	Character
Description:	The Soft Credit recipient's full name.
Select equivalent:	CUSTOMER_SOFT_CREDIT.LABEL_NAME
Where equivalent:	
Qualification:	dimension
List of values:	1ys, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Soft Credit Recipient Last First Name
Type:	Character
Description:	The Soft Credit recipient's last, first name.
2 000 ip io iii	
Select equivalent:	CUSTOMER_SOFT_CREDIT.LAST_FIRST_NAME
Where equivalent:	
Qualification:	dimension
List of values:	299, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Coff Ore dit De sinis et First Norse
Object:	Soft Credit Recipient First Name
Type: Description:	The Soft Credit recipient's first name.
Description.	
Select equivalent:	CUSTOMER_SOFT_CREDIT.FIRST_NAME
Where equivalent:	
Qualification:	dimension
List of values:	1yt, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Type: Description:	Soft Credit Recipient Last Name Character The Soft Credit recipient's last name.
Select equivalent:	CUSTOMER_SOFT_CREDIT.LAST_NAME
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 1yu, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type:	Soft Credit Recipient Search Name
Description:	The Soft Credit recipient's search name.
Select equivalent:	CUSTOMER_SOFT_CREDIT.SEARCH_NAME
Where equivalent:	
Qualification: List of values: Security access level:	dimension 1yv, editable, manual refresh, not exportable 0
Can be used: Object status:	in result, in condition, in sort show
Can be used:	
Can be used: Object status: Object: Type:	show Soft Credit Recipient Record Type Character The Soft Credit recipient' s customer record type of
Can be used: Object status: Object: Type: Description:	show Soft Credit Recipient Record Type Character The Soft Credit recipient' s customer record type of Individual or Company.

Object: Type: Description:	Soft Credit Donor ID Character The Customer ID of the donor who receives soft credit on an order.
Select equivalent:	CASE WHEN ORDER_FND_DET AIL.SOFT_CREDIT_SUB_CUST OMER = 0 THEN ORDER_FND_ DETAIL.SOFT_CREDIT_MAST_ CUST ELSE ORDER_FND_DETA IL.SOFT_CREDIT_MAST_CUST + '-' + CONVERT(VARCHAR, ORDER_FND_DETAIL.SOFT_C REDIT_SUB_CUSTOMER) END
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 20b, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Ohiaati	
Object: Type: Description:	Soft Credit Master ID Character The Customer ID of the donor who receives soft credit on an order.
Туре:	Character
Type: Description:	Character The Customer ID of the donor who receives soft credit on an order.
Type: Description: Select equivalent:	Character The Customer ID of the donor who receives soft credit on an order.

Select equivalent:	ORDER_FND_DETAIL.SOFT_CREDIT_SUB_CUSTOMER
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 20d, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Class: Description:	Donation GL Account Info
Object: Type: Description:	Batch No Character The receipt batch name th at was used when the dona tion was recorded.
Select equivalent: Where equivalent:	FAR_TXN.BATCH
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2au, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent: Qualification: List of values: Security access level: Can be used: Object status:	Transaction Date Date The Date when the donation order was created. FAR_TXN.TXN_DATE dimension 2av, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type:	Transaction Type Character

Description:	Thet Transaction Type of " 4" is the sale (donation) and "1" is the receipt.
Select equivalent: Where equivalent:	FAR_TXN.TXN_TYPE_CODE
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2aw, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Account Character The GLAccount Account tha t receives the revenue and the cash amount. Pledge s use an AR account.
Select equivalent: Where equivalent:	FAR_TXN_DETAIL.ACCOUNT
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2ax, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent:	Amount Number The Base Amount of the donation. isnull(FAR_TXN.BASE_AMOUNT,0)
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status: Format	dimension 2ay, editable, manual refresh, not exportable 0 in result, in condition, in sort show Number Category = Currency \$#,##0.00

lass: escription:	Donor / Prospect (Constituent) Info
Object:	Link to Constituent
Туре:	Character
Description:	Use this object to open th
	e selected Constituent in
	Constituent Central. You c
	an only link the selected
	Constituent to Constituent
	Central when the report i
	s viewed in view mode.
	DO NOT USE IN A REPORT
Select equivalent:	' <a href="cmd://Main/OpenV&lt;/td"></a>
	iew?Name=FND006_Constitu
	ent_Central&Key='+
	ORDER_MBR_FND_MTG_CUS_I
	NFO_VW.BILL_MASTER_CUST
	OMER_ID+' '+Convert(char,
	ORDER_MBR_FND_MTG_CUS_
	INFO_VW.BILL_SUB_CUSTOME
	R_ID)+ ' Target=_Blank>'
	+ORDER_MBR_FND_MTG_CUS_
	INFO_VW.BILL_MASTER_CUST
	OMER_ID+''
Where equivalent:	
Qualification:	dimension
List of values:	2j0, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Format	
Object:	Constituent Full Name
Туре:	Character
Description:	The full name of the bill-to customer on an order.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.BILL_LABEL_NAME
Where equivalent:	
Qualification:	dimension
List of values:	22j, editable, manual refresh, not exportable
Security access level:	0
---	--
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Constituent First Name
Type:	Character
Description:	The first name of the bill-to customer on an order.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.BILL_FIRST_NAME
Where equivalent:	
Qualification:	dimension
List of values:	22k, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Constituent Last Name
Type:	Character
Description:	The last name of the bill-to customer on an order.
Select equivalent: Where equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.BILL_LAST_NAME
Qualification:	dimension
List of values:	22I, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Constituent Search Name
Type:	Character
Description:	The search name of the bill-to customer on an order.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.BILL_SEARCH_NAME
Where equivalent:	
Qualification:	dimension
List of values:	22m, editable, manual refresh, not exportable
Security access level:	0

Can be used: Object status:	in result, in condition, in sort show
Object: Type: Description:	Constituent Record Type Character The record type of the bil I-to customer on an order. Either Individual(I) or Company(C).
Select equivalent:	ORDER_MBR_FND_MTG_CUS_I NFO_VW.BILL_CUSTOMER_RE CORD_TYPE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 22n, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Constituent Class Character The customer class of the bill-to customer on an order.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_I NFO_VW.BILL_CUSTOMER_CL ASS_CODE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 22o, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Constituent Status Character The customer status of the bill-to customer on an order.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_I

## NFO\_VW.BILL\_CUSTOMER\_ST ATUS\_CODE

vinere equivalent.	Where	equivalent:
--------------------	-------	-------------

Qualification:	dimension
List of values:	22p, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Constituent ID
Type:	Character
Description:	The Master Customer ID of the bill-to customer on an order.
Select equivalent:	CASE WHEN ORDER_MBR_FND _MTG_CUS_INFO_VW .BILL_S UB_CUSTOMER_ID = 0 THEN ORDER_MBR_FND_MTG_CUS_I NFO_VW.BILL_MASTER_CUST OMER_ID ELSE ORDER_MBR_F ND_MTG_CUS_INFO_VW.BILL _MASTER_CUSTOMER_ID + '- ' + CONVERT(VARCHAR, ORD ER_MBR_FND_MTG_CUS_INFO _VW.BILL_SUB_CUSTOMER_ID ) END
Where equivalent:	
Qualification:	dimension
List of values:	22y, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Constituent Master ID
Type:	Character
Description:	The Master Customer ID of the bill-to customer on an order.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_I NFO_VW.BILL_MASTER_CUST OMER_ID

Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 230, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent:	Constituent Sub ID Number The Sub Customer ID of the bill-to customer on an order. ORDER_MBR_FND_MTG_CUS_INFO_VW.BILL_SUB_CUSTOMER_ID
Qualification: List of values: Security access level: Can be used: Object status:	dimension 231, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Class: Description:	Donor Matching Gift Info
Object: Type: Description:	Donor Customer ID Character The Matching Gift Donor ID is the bill-to customer.
Select equivalent:	CASE WHEN CUS_FND_MATCH ING_GIFT_PLAN.SUB_CUSTOM ER_ID = 0 THEN CUS_FND_M ATCHING_GIFT_PLAN.MASTER _CUSTOMER_ID ELSE CUS_FN D_MATCHING_GIFT_PLAN.MA STER_CUSTOMER_ID + '-' + CONVERT(VARCHAR, CUS_FN D_MATCHING_GIFT_PLAN.SUB _CUSTOMER_ID) END
Where equivalent:	
Qualification: List of values: Security access level:	dimension 2db, editable, manual refresh, not exportable 0

Can be used:	in result, in condition, in sort
Object status:	show
Object:	Donor Master Customer ID
Type:	Character
Description:	This is the Customer ID who has this matching plan.
Select equivalent:	CUS_FND_MATCHING_GIFT_PLAN.MASTER_CUSTOMER_ID
Where equivalent:	
Qualification:	dimension
List of values:	2dc, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Donor Sub Customer ID
Type:	Number
Description:	The Sub Customer ID who has this matching plan.
Select equivalent:	CUS_FND_MATCHING_GIFT_PLAN.SUB_CUSTOMER_ID
Where equivalent:	
Qualification:	dimension
List of values:	2dd, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Matching Gift Effective Date
Type:	Date
Description:	The start Date when this matching plan can be used.
Select equivalent:	CUS_FND_MATCHING_GIFT_PLAN.BEGIN_DATE
Where equivalent:	
Qualification:	dimension
List of values:	2de, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status:	show
Object:	Matching Gift End Date
Type:	Date
Description:	The end Date when this matching plan is terminated.
Select equivalent:	CUS_FND_MATCHING_GIFT_PLAN.END_DATE
Where equivalent:	
Qualification:	dimension
List of values:	2df, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Matching Gift Plan Type Code
Туре:	Character
Description:	Only the "Employeee" plan
	is used, which uses the E
	mployment relationship.
Select equivalent:	CUS_FND_MATCHING_GIFT_P
	LAN.MATCHING_GIFT_PLAN_T
	YPE_CODE
Where equivalent:	
Qualification:	dimension
List of values:	2dg, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Per Gift Match up to Amount
Type:	Number
Description:	The maximum donation amount that is used to calculate the match
Select equivalent:	CUS_FND_MATCHING_GIFT_P
	LAN.PER_GIFT_MATCH_UP_TO
	_AMOUNT
Where equivalent:	

Qualification: List of values: Security access level: Can be used: Object status:	dimension 2dh, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type:	Per Gift Matching Percentage
Description:	The percent that is used to calculate the match.
Select equivalent:	CUS_FND_MATCHING_GIFT_PLAN.PER_GIFT_MATCHING_PCT
Where equivalent:	
Qualification:	dimension
List of values:	2di, editable, manual refresh, not exportable
Security access level: Can be used:	0 in result, in condition, in sort
Object status:	show
Object:	Plan Limit Amount
Type:	
Description:	The maximum total amount matched that is used to stop the plan.
Select equivalent:	CUS_FND_MATCHING_GIFT_PLAN.PLAN_LIMIT_AMOUNT
Where equivalent:	
Qualification:	dimension
List of values:	2dj, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Fund
Туре:	Character
Description:	The Fund assigned to the matching plan.
Select equivalent:	CUS_FND_MATCHING_GIFT_PLAN.FUND
Where equivalent:	

Qualification: List of values: Security access level: Can be used: Object status:	dimension 2dk, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type:	Appeal Character
Description:	The Appeal assigned to the matching plan.
Select equivalent:	CUS_FND_MATCHING_GIFT_PLAN.APPEAL
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2dl, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Campaign Character The Campaign assigned to the matching plan.
Select equivalent:	CUS_FND_MATCHING_GIFT_PLAN.CAMPAIGN
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2dm, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Acknowledgement Name Character The text name assigned to the matching plan for acknowledgements.
Select equivalent:	CUS_FND_MATCHING_GIFT_PLAN.ACKNOWLEDGEMENT_NAME
Where equivalent:	
Qualification:	dimension

List of values: Security access level: Can be used: Object status:	2dn, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type:	Tribute Type Code Character
Description:	The Tribute Type Code such as " In Honor of" and "In Memory of".
Select equivalent:	CUS_FND_MATCHING_GIFT_PLAN.TRIBUTE_TYPE_CODE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2do, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type:	In Tribute To Description Character
Description:	The free text of explanation about the tribute of the plan.
Select equivalent:	CUS_FND_MATCHING_GIFT_PLAN.IN_TRIBUTE_TO_DESCR
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2dp, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	In Tribute To Customer ID Character The Customer ID of the customer for the tribute.
Select equivalent:	CASE WHEN CUS_FND_MATCH ING_GIFT_PLAN.IN_TRIBUTE _TO_SUB_CUST = 0 THEN CU S_FND_MATCHING_GIFT_PLA N.IN_TRIBUTE_TO_MAST_CUS T ELSE CUS_FND_MATCHING_

	GIFT_PLAN.IN_TRIBUTE_TO_ MAST_CUST+ '-' + CONVERT (VARCHAR, CUS_FND_MATCHI NG_GIFT_PLAN.IN_TRIBUTE_ TO_SUB_CUST) END
Where equivalent:	
Qualification:	dimension
List of values:	2dq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	In Tribute To Master Customer ID
Туре:	Character
Description:	The Customer ID of the customer for the tribute.
Select equivalent:	CUS_FND_MATCHING_GIFT_PLAN.IN_TRIBUTE_TO_MAST_CUST
Where equivalent:	
Qualification:	dimension
List of values:	2dr, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	In Tribute to Sub Customer ID
Туре:	Number
Description:	The Sub Customer ID of the customer for the tribute.
Select equivalent:	CUS_FND_MATCHING_GIFT_PLAN.IN_TRIBUTE_TO_SUB_CUST
Where equivalent:	
Qualification:	dimension
List of values:	2ds, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
	show

Object:

## Total Matched Donations Quantity

Type: Description:	Number The current count of Matched Donations.
Select equivalent:	CUS_FND_MATCHING_GIFT_P LAN.TOTAL_MATCHED_DONAT IONS_QTY
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2dt, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Total Gift Matched Amount Number The current total donation amount that was used to calculate the matched.
Select equivalent:	CUS_FND_MATCHING_GIFT_P LAN.TOTAL_GIFT_MATCHED_A MOUNT
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2du, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Total Donation Amount Number The current total donation amount that was matched.
Select equivalent:	CUS_FND_MATCHING_GIFT_PLAN.TOTAL_DONATION_AMOUNT
Where equivalent:	
Qualification: List of values: Security access level:	dimension 2dv, editable, manual refresh, not exportable 0

Can be used: Object status:	in result, in condition, in sort show
Object: Type:	Plan Limit Reached Date <sub>Date</sub>
Description:	The date the plan reached its maximum plan match amount.
Select equivalent:	CUS_FND_MATCHING_GIFT_PLAN.PLAN_LIMIT_REACHED_DATE
Where equivalent:	
Qualification:	dimension
List of values:	2dw, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Class: Description:	Donor Credits and Recognition
No objects	
No objects Class: Description:	Donor Credits
Class:	
Class: Description:	Donor Credits Campaign Character
Class: Description: Object:	Campaign
Class: Description: Object: Type:	Campaign Character
Class: Description: Object: Type: Description:	Campaign Character The Campaign code assigned to the donation.
Class: Description: Object: Type: Description: Select equivalent:	Campaign Character The Campaign code assigned to the donation.
Class: Description: Object: Type: Description: Select equivalent: Where equivalent:	Campaign Character The Campaign code assigned to the donation. FND_CREDIT.CAMPAIGN
Class: Description: Object: Type: Description: Select equivalent: Where equivalent: Qualification:	Campaign Character The Campaign code assigned to the donation. FND_CREDIT.CAMPAIGN dimension
Class: Description: Object: Type: Description: Select equivalent: Where equivalent: Qualification: List of values: Security access level: Can be used:	Campaign Character The Campaign code assigned to the donation. FND_CREDIT.CAMPAIGN dimension 29a, editable, manual refresh, not exportable 0 in result, in condition, in sort
Class: Description: Object: Type: Description: Select equivalent: Where equivalent: Qualification: List of values: Security access level:	Campaign Character The Campaign code assigned to the donation. FND_CREDIT.CAMPAIGN dimension 29a, editable, manual refresh, not exportable 0
Class: Description: Object: Type: Description: Select equivalent: Where equivalent: Where equivalent: Qualification: List of values: Security access level: Can be used:	Campaign Character The Campaign code assigned to the donation. FND_CREDIT.CAMPAIGN dimension 29a, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Class: Description: Object: Type: Description: Select equivalent: Where equivalent: Where equivalent: Qualification: List of values: Security access level: Can be used: Object status:	Campaign Character The Campaign code assigned to the donation. FND_CREDIT.CAMPAIGN dimension 29a, editable, manual refresh, not exportable 0 in result, in condition, in sort

Select equivalent:	FND_CREDIT.FUND
Where equivalent:	
Qualification:	dimension
List of values:	29b, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Appeal
Туре:	Character
Description:	The Appeal code assigned to the donation.
Select equivalent:	FND_CREDIT.APPEAL
Where equivalent:	
Qualification:	dimension
List of values:	29c, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Solicitor Team
Туре:	Character
Description:	The solicitor team name for this donation.
Select equivalent:	FND_CREDIT.SOLICITOR_TEAM
Where equivalent:	
Qualification:	dimension
List of values:	29d, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Solicitor Full Name
Туре:	Character
Description:	The solicitor's full name for this donation.

Select equivalent:	CUSTOMER_SOLICITOR.LABEL_NAME
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 29e, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Credit Amount Number The amount of the donation.
Select equivalent:	FND_CREDIT.CREDIT_AMOUNT
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 29f, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Credit Type Code Character This refers to who brought in the donation, i.e. Soli citor, Bill (self), Employe r
Select equivalent:	FND_CREDIT.CREDIT_TYPE_CODE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 29g, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type:	Donor Name Character

Description:	The full name of the Donor.
Select equivalent:	FND_CREDIT.DONOR_NAME
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 29h, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Credit Role Code Character The role ofa donation cus tomer could be Donor, Soli citor, Employer
Select equivalent:	FND_CREDIT.CREDIT_ROLE_CODE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 29i, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Soft Credit Full Name Character The label name of the customer receiving soft credit in this order.
Select equivalent:	CUSTOMER_FND_CREDIT.LABEL_NAME
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 29j, editable, manual refresh, not exportable 0 in result, in condition, in sort show

Object:

Solicitor ID

Type: Description:	Character The master customer Id of the solicitor for this order credit record.
Select equivalent:	CASE WHEN FND_CREDIT.SOL ICITOR_SUB_CUST = 0 THEN FND_CREDIT.SOLICITOR_MA ST_CUST ELSE FND_CREDIT. SOLICITOR_MAST_CUST + '- ' + CONVERT(VARCHAR, FND _CREDIT.SOLICITOR_SUB_CU ST) END
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 29k, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Solicitor Master ID Character The master customer Id of the solicitor for this order credit record.
Select equivalent:	FND_CREDIT.SOLICITOR_MAST_CUST
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 29I, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Solicitor Sub ID Number The sub master customer I d of the solicitor for this order credit record.
Select equivalent:	FND_CREDIT.SOLICITOR_SUB_CUST
Where equivalent:	

Qualification: List of values: Security access level: Can be used: Object status:	dimension 29m, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Soft Credit Donor ID Character The master customer Id of the customer who receive d soft credit for this ord er.
Select equivalent:	CASE WHEN FND_CREDIT.SUB _CUSTOMER_ID = 0 THEN FN D_CREDIT.MASTER_CUSTOME R_ID ELSE FND_CREDIT.MAS TER_CUSTOMER_ID + '-' + CONVERT(VARCHAR, FND_CRE DIT.SUB_CUSTOMER_ID) END
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 29n, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Soft Credit Donor Master ID Character The master customer Id of the customer who receive d soft credit for this ord er.
Select equivalent:	FND_CREDIT.MASTER_CUSTOMER_ID
Where equivalent:	
Qualification: List of values: Security access level:	dimension 29o, editable, manual refresh, not exportable 0

Can be used: Object status:	in result, in condition, in sort show
Object: Type: Description:	Soft Credit Donor Sub ID Number The sub customer Id of th e customer who received s oft credit for this order.
Select equivalent:	FND_CREDIT.SUB_CUSTOMER_ID
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 29p, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Class: Description:	Donor Recognition
Object: Type: Description: Select equivalent: Where equivalent: Qualification: List of values: Security access level: Can be used: Object status:	Donor Master Customer ID Character The master customer Id of the customer with this recognition record. FND_CUSTOMER_RECOGNITION.MASTER_CUSTOMER_ID dimension 2fj, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent:	Donor Sub Customer ID Number The sub customer Id of the customer with this recognition record. FND_CUSTOMER_RECOGNITION.SUB_CUSTOMER_ID
Qualification: List of values: Security access level:	dimension 2fk, editable, manual refresh, not exportable 0

Can be used: Object status:	in result, in condition, in sort show
Object:	Recognition Structure
Type:	Character The name of the recogniti
Description:	on group for this customer
	's recognition record.
Select equivalent:	FND_CUSTOMER_RECOGNITION.RECOGNITION_STRUCTURE
Where equivalent:	
Qualification:	dimension
List of values:	2a3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort show
Object status:	SHOW
Object:	Recognition Structure Description
Туре:	Character
Description:	The description text of th
	e recognition group for th
	is customer's recognition record.
Select equivalent:	FND_RECOGNITION_STRUCTURE.DESCRIPTION
Where equivalent:	
Qualification:	dimension
List of values:	2ff, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Donor Type
Туре:	Character
Description:	The customer record type for this donor is Individual or Company.
Select equivalent:	FND_CUSTOMER_RECOGNITION.CUSTOMER_TYPE_CODE
Where equivalent:	
Qualification:	dimension
List of values:	2a4, editable, manual refresh, not exportable

Security access level: Can be used: Object status:	0 in result, in condition, in sort show
Object: Type: Description:	Recognition Level Character The name associated with this amount range of givin g. Examples are Gold, Sil ver, Platinum.
Select equivalent:	FND_CUSTOMER_RECOGNITION.RECOGNITION_LEVEL_CODE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2a5, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Donation Amount Number The Donation Amount that earned this recognition level.
Select equivalent:	FND_CUSTOMER_RECOGNITION.DONATION_AMOUNT
Where equivalent:	
Qualification: Aggregate function: List of values: Security access level: Can be used: Object status: Format	measure Sum 2a6, editable, manual refresh, not exportable 0 in result, in condition, in sort show Number Category = Currency \$#,##0.00
Object: Type: Description:	Award Date Date The date when this this recognition level was earned.

Select equivalent:	FND_CUSTOMER_RECOGNITION.AWARD_DATE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2a7, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Qualifying Months Number The number of months in t his recognition structure that determines the time f rom the first donation to earn a recognition level.
Select equivalent: Where equivalent:	FND_RECOGNITION_STRUCTURE.QUALIFYING_MONTHS
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2f9, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent:	Lifetime Flag Character This recognition structure will accumulate amounts perpetually. FND_RECOGNITION_STRUCTURE.LIFETIME_FLAG
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2fa, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent:	Minimum Amount Number The minimum qualifying amount for this recognition level. FND_RECOGNITION_LEVEL.MIN_AMOUNT

Qualification:	dimension
List of values:	2fb, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Maximum Amount
Туре:	Number
Description:	The maximum qualifying amount for this recognition level.
Select equivalent:	FND_RECOGNITION_LEVEL.MAX_AMOUNT
Where equivalent:	
Qualification:	dimension
List of values:	2fc, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Class: Description:	Donor Profile Demographics
Object:	Donor Class Code
Type:	Character
••	
Description:	A classification of donors can be Individual, Company or other.
Description:	A classification of donors can be Individual, Company or other.
Description: Select equivalent:	A classification of donors can be Individual, Company or other.
Description: Select equivalent: Where equivalent:	A classification of donors can be Individual, Company or other.
Description: Select equivalent: Where equivalent: Qualification:	A classification of donors can be Individual, Company or other. FND_CUSTOMER.DONOR_CLASS_CODE
Description: Select equivalent: Where equivalent: Qualification: List of values:	A classification of donors can be Individual, Company or other. FND_CUSTOMER.DONOR_CLASS_CODE dimension 235, editable, manual refresh, not exportable
Description: Select equivalent: Where equivalent: Qualification: List of values: Security access level:	A classification of donors can be Individual, Company or other. FND_CUSTOMER.DONOR_CLASS_CODE dimension 235, editable, manual refresh, not exportable 0
Description: Select equivalent: Where equivalent: Qualification: List of values: Security access level: Can be used: Object status:	A classification of donors can be Individual, Company or other. FND_CUSTOMER.DONOR_CLASS_CODE dimension 235, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Description: Select equivalent: Where equivalent: Qualification: List of values: Security access level: Can be used: Object status:	A classification of donors can be Individual, Company or other. FND_CUSTOMER.DONOR_CLASS_CODE dimension 235, editable, manual refresh, not exportable 0 in result, in condition, in sort show Donor Yearly Giving Estimate
Description: Select equivalent: Where equivalent: Qualification: List of values: Security access level: Can be used: Object status: Object: Type:	A classification of donors can be Individual, Company or other. FND_CUSTOMER.DONOR_CLASS_CODE dimension 235, editable, manual refresh, not exportable 0 in result, in condition, in sort show Donor Yearly Giving Estimate Number
Description: Select equivalent: Where equivalent: Qualification: List of values: Security access level: Can be used: Object status:	A classification of donors can be Individual, Company or other. FND_CUSTOMER.DONOR_CLASS_CODE dimension 235, editable, manual refresh, not exportable 0 in result, in condition, in sort show Donor Yearly Giving Estimate Number An estimate assigned to a
Description: Select equivalent: Where equivalent: Qualification: List of values: Security access level: Can be used: Object status: Object: Type:	A classification of donors can be Individual, Company or other. FND_CUSTOMER.DONOR_CLASS_CODE dimension 235, editable, manual refresh, not exportable 0 in result, in condition, in sort show Donor Yearly Giving Estimate Number An estimate assigned to a donor by staff of how muc
Description: Select equivalent: Where equivalent: Qualification: List of values: Security access level: Can be used: Object status: Object: Type:	A classification of donors can be Individual, Company or other. FND_CUSTOMER.DONOR_CLASS_CODE dimension 235, editable, manual refresh, not exportable 0 in result, in condition, in sort show Donor Yearly Giving Estimate Number An estimate assigned to a

Where equivalent: Qualification: List of values: Security access level: Can be used: Object status:	dimension 234, editable, manual refresh, not exportable 0 in result, in condition, in sort show
List of values: Security access level: Can be used:	234, editable, manual refresh, not exportable 0 in result, in condition, in sort show
	Donor Incomo Pango
Object:	Donor Income Range
Type:	Character
Description:	A code to represent a dollar range of the donor's income.
Select equivalent:	FND_CUSTOMER.INCOME_RANGE_CODE
Where equivalent:	
Qualification:	dimension
List of values:	232, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Donor Income Source
Туре:	Character
Description:	This code describes how t
	he donor income informati
	on was obtained; i.e., sur
	vey, census, etc.
Select equivalent:	FND_CUSTOMER.INCOME_SOURCE_CODE
Where equivalent:	
Qualification:	dimension
List of values:	233, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Donor Spouse Name
Туре:	Character

Description:	The free text full name of the donor's spouse or partner.
Select equivalent:	FND_CUSTOMER.SPOUSE_NAME
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 236, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Donor Spouse Birthday Date The date for the spouse or partner's birthday.
Select equivalent:	FND_CUSTOMER.SPOUSE_BIRTHDAY
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 237, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Donor Children Names Character Free text to enter children's names. Seperate them with commas.
Select equivalent:	FND_CUSTOMER.CHILDREN_NAMES
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 238, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Fund Matching Percentage Number The percent that will be u

	sed to compute the matche d donation amount.
Select equivalent:	FND_CUSTOMER.FND_MATCHING_PERCENT
Where equivalent:	
Qualification:	dimension
List of values:	239, editable, manual refresh, not exportable
Security access level: Can be used:	0 in result, in condition, in sort
Object status:	show
Object:	Fund Matching Limit
Туре:	Number
Description:	The maximum amount of all
	matched donations for th
	e matching plan.
Select equivalent:	FND_CUSTOMER.FND_MATCHING_LIMIT
Where equivalent:	
Qualification:	dimension
List of values:	23a, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Yearly Matching Limit
Туре:	Number
Description:	The Yearly Matching Limit for all matching plans.
Select equivalent:	FND_CUSTOMER.FND_YEARLY_MATCHING_LIMIT
Where equivalent:	
Qualification:	dimension
List of values:	23b, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Type:	Is this Donor a Foundation? Character Flag to identify if the D	
Description:		
, , , , , , , , , , , , , , , , , , ,	onor is a Foundation found	
	on the Donor Central, Con	
	fidential Info tab.	
Select equivalent:	FND_CUSTOMER.FOUNDATION_FLAG	
Where equivalent:		
Qualification:	dimension	
List of values:	23c, editable, manual refresh, not exportable	
Security access level:	0	
Can be used:	in result, in condition, in sort	
Object status:	show	
Object:	Does this Donor Match Gifts?	
Туре:	Character	
Description:	Flag to identify if the Donor has an active Matching Gifts Plan.	
Select equivalent:	FND_CUSTOMER.FND_MATCHING_FLAG	
Where equivalent:		
Qualification:	dimension	
List of values:	23d, editable, manual refresh, not exportable	
Security access level:	0	
Can be used:	in result, in condition, in sort	
Object status:	show	
Class:	List Demographics	
Description:		
Object:	List Demographic Code	
Туре:	Character	
Description:	The List Demographic Code	
	maintained on the Custom	
	er Central screen. Codes	
	from Type DEMOGRAPHIC.	
Select equivalent:	CUS_DEMOGRAPHIC_CODE_DESCR_VW.DEMOGRAPHIC_CODE	
Where equivalent:		

Qualification: List of values: Security access level: Can be used: Object status:	dimension 2bf, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	List Demographic Description Character The List Demographic Description of the select Demographic Code.
Select equivalent:	CUS_DEMOGRAPHIC_CODE_DE SCR_VW.DEMOGRAPHIC_CODE _DESCR
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2bg, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent:	List Demographic Subcode Character The List Demographic Subc ode is from the Type DEMO GRAPHIC using the subcode btton. This filtered by t he Demographic Code. CUS_DEMOGRAPHIC_CODE_DESCR_VW.DEMOGRAPHIC_SUBCODE
Where equivalent:	CO3_DEMOGRAFHIC_CODE_DESCR_VW.DEMOGRAFHIC_SOBCODE
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2bh, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	List Demographic Subcode Description Character The List Demographic Subc ode Description is the tex

	t decsription of the Demo graphic Code.
Select equivalent:	CUS_DEMOGRAPHIC_CODE_DE SCR_VW.DEMOGRAPHIC_SUBC ODE_DESCR
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2bi, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	List Demographic Begin Date Date The first date that the De mographic Code is effectiv e for the customer.
Select equivalent:	CUS_DEMOGRAPHIC_CODE_DESCR_VW.USER_D1
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2bj, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	List Demographic End Date Date The last date that the De mographic Code is effectiv e for the customer.
Select equivalent:	CUS_DEMOGRAPHIC_CODE_DESCR_VW.USER_D2
Where equivalent:	

Can be used: Object status:	in result, in condition, in sort show
Object: Type: Description:	List Demographic Number Number An optional number to describe the use of the Demographic code.
Select equivalent:	CUS_DEMOGRAPHIC_CODE_DESCR_VW.USER_N1
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2bl, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Class: Description:	Donor Name, Address and Communication
Object: Type: Description:	Name Character The Donor's label name (f ull name) for the bill-to customer in the order.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.BILL_LABEL_NAME
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 23e, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Name Prefix Character The Donor's Name Prefix for the bill-to customer in the order.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.BILL_NAME_PREFIX
Where equivalent:	

Qualification: List of values: Security access level: Can be used: Object status:	dimension 23f, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object:	First Name Character
Type: Description:	The Donor's First Name for the bill-to customer in the order.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.BILL_FIRST_NAME
Where equivalent:	
Qualification:	dimension
List of values: Security access level:	23g, editable, manual refresh, not exportable 0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Middle Name
Type:	Character
Description:	The Donor's Middle Name for the bill-to customer in the order.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.BILL_MIDDLE_NAME
Where equivalent:	
Qualification:	dimension
List of values:	23h, editable, manual refresh, not exportable
Security access level:	0
Can be used: Object status:	in result, in condition, in sort show
	Show
Object:	Last Name
Туре:	Character
Description:	The Donor's Last Name for the bill-to customer in the order.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.BILL_LAST_NAME
Where equivalent:	

Qualification:	dimension
List of values:	23i, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Name Suffix
Type:	Character
Description:	The Donor's Suffix for the bill-to customer in the order.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.BILL_NAME_SUFFIX
Where equivalent:	
Qualification:	dimension
List of values:	23j, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description:	Full Address Character The Donor's Full Address with name, address line 1, address line 2, City, Sta te and Postal Code.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_I NFO_VW.BILL_FORMATTED_D ETAIL + ORDER_MBR_FND_M TG_CUS_INFO_VW.BILL_FORM ATTED_ADDRESS
Where equivalent:	
Qualification:	dimension
List of values:	23I, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Address Type Code
Type:	Character

Description:	The Donor's Address Type Code for the bill-to custo mer in the order. Codes a re like Home, Office.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_I NFO_VW.BILL_ADDRESS_TYPE _CODE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 23k, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Company Name Character The Donor's Company Name for the bill-to customer in the order.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.BILL_COMPANY_NAME
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 23m, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Attention Line Character The Donor's Attention Line in the address for the bi II-to customer in the orde r.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.BILL_ATTENTION_LINE
Where equivalent:	

Qualification: List of values: Security access level: Can be used:	dimension 23n, editable, manual refresh, not exportable 0				
				in result, in condition, in sort	
				Object status:	show
	Object:	Personal Line			
Туре:	Character				
Description:	This is the Donor's Person				
	al Line in the address for				
	the bill-to customer in t				
	he order.				
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.BILL_PERSONAL_LINE				
Where equivalent:					
Qualification:	dimension				
List of values:	23o, editable, manual refresh, not exportable				
Security access level:	0				
Can be used:	in result, in condition, in sort				
Object status:	show				
Object:	Job Title				
Туре:	Character				
Description:	The Donor's Job Title in t				
	he address for the bill-to				
	customer in the order.				
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.BILL_JOB_TITLE				
Where equivalent:					
Qualification:	dimension				
List of values:	23p, editable, manual refresh, not exportable				
Security access level:	0				
Can be used:	in result, in condition, in sort				
Object status:	show				
Object:	Mail Stop				
Туре:	Character				

Description:	The Donor's Mail Stop in t he order for the bill-to c ustomer in the order.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.BILL_MAIL_STOP
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 23q, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Address 1 Character The first line of the address for the bill-to customer in the order.
Select equivalent: Where equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.BILL_ADDRESS_1
Qualification: List of values: Security access level: Can be used: Object status:	dimension 23r, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent:	Address 2 Character The second line of the address for the bill-to customer in the order. ORDER_MBR_FND_MTG_CUS_INFO_VW.BILL_ADDRESS_2
Qualification: List of values: Security access level: Can be used: Object status:	dimension 23s, editable, manual refresh, not exportable 0 in result, in condition, in sort show

Object:	Address 3
Type:	Character
Description:	The third line of the address for the bill-to customer in the order.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.BILL_ADDRESS_3
Where equivalent:	
Qualification:	dimension
List of values:	23t, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Address 4
Type:	Character
Description:	The fourth line of the address for the bill-to customer in the order.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.BILL_ADDRESS_4
Where equivalent:	
Qualification:	dimension
List of values:	23u, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	City
Type:	Character
Description:	The city of the address for the bill-to customer in the order.
Select equivalent: Where equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.BILL_CITY
Qualification:	dimension
List of values:	23v, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Type:	State Character
Description:	The State of the address for the bill-to customer in the order.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.BILL_STATE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 23w, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Postal Code Character The Donor's Postal Code o f the address for the bill -to customer in the order.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.BILL_POSTAL_CODE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 23x, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Country Code Character The Countryl Code of the address for the bill-to cu stomer in the order.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.BILL_COUNTRY_CODE
Where equivalent:	
Qualification: List of values: Security access level:	dimension 23y, editable, manual refresh, not exportable 0
Can be used: Object status:	in result, in condition, in sort show
---	---
Object: Type: Description:	Country Description Character The Country Code of the a ddress for the bill-to cus
Select equivalent:	tomer in the order. ORDER_MBR_FND_MTG_CUS_INFO_VW.BILL_COUNTRY_DESCR
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 240, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Home Phone Character The Donor's Home Phone for the bill-to customer in the order.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.BILL_HOME_PHONE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 241, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Work Phone Character The Donor's Work Phon for the bill-to customer in the order.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.BILL_WORK_PHONE
Where equivalent:	
Qualification: List of values:	dimension 242, editable, manual refresh, not exportable

Security access level: Can be used: Object status:	0 in result, in condition, in sort show
Object: Type: Description:	Primary Phone Character The Donor's Primary Phone for the bill-to customer in the order.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.BILL_PRIMARY_PHONE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 243, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Primary Fax Character The Donor's Primary Fax for the bill-to customer in the order.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.BILL_PRIMARY_FAX
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 244, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Primary Email Address Character The Donor's Primary Email Address for the bill-to c ustomer in the order.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_I NFO_VW.BILL_PRIMARY_EMAI L_ADDRESS
Where equivalent:	

Qualification:	dimension
List of values:	245, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Primary URL
Type:	Character
Description:	The Donor's Primary UR for the bill-to customer in the order.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.PRIMARY_URL
Where equivalent:	
Qualification:	dimension
List of values:	246, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description:	Primary Phone Location Code Character The Donor's Primary Phone Location Code for the bil I-to customer in the order
Select equivalent:	ORDER_MBR_FND_MTG_CUS_I NFO_VW.PRIMARY_PHONE_LO CATION_CODE
Where equivalent:	
Qualification:	dimension
List of values:	247, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Primary Email Location Code
Type:	Character
Description:	The Donor's Primary Email

	Location Code for the bil I-to customer in the order
Select equivalent:	ORDER_MBR_FND_MTG_CUS_I NFO_VW.PRIMARY_EMAIL_LO CATION_CODE
Where equivalent:	
Qualification:	dimension
List of values:	248, editable, manual refresh, not exportable
Security access level:	0
Can be used: Object status:	in result, in condition, in sort show
Object:	Primary Fax Location Code
Type:	Character
Description:	The Donor's Primary Fax L
	ocation Code for the bill-
	to customer in the order.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_I
	NFO_VW.PRIMARY_FAX_LOCA
	TION_CODE
Where equivalent:	
Qualification:	dimension
List of values:	249, editable, manual refresh, not exportable
Security access level:	
Can be used:	in result, in condition, in sort show
Object status:	Show
Object:	Preferred Communication Method
Туре:	Character
Description:	The Donor's Preferred Com
	munication Method for the bill-to customer in the o
	rder.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_I
-	NFO_VW.PREFERRED_COMM_M
	ETHOD_CODE

Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 24a, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Class: Description:	Donor Demographics
Object: Type: Description: Select equivalent:	Donor Class Code Character The Customer Class Code for the bill-to customer in the order. ORDER_MBR_FND_MTG_CUS_I NFO_VW.BILL_CUSTOMER_CL ASS_CODE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 24b, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent:	Donor Status Code Character The Customer Status Code for the bill-to customer in the order. ORDER_MBR_FND_MTG_CUS_I NFO_VW.BILL_CUSTOMER_ST ATUS_CODE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 24c, editable, manual refresh, not exportable 0 in result, in condition, in sort show

Object:	Ethnicity Code
Type:	Character
Description:	The Ethnicity Code for the bill-to customer in the order.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.ETHNICITY_CODE
Where equivalent:	
Qualification:	dimension
List of values:	24d, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Gender Code
Type:	Character
Description:	The Gender Code for the bill-to customer in the order.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.GENDER_CODE
Where equivalent:	
Qualification:	dimension
List of values:	24e, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Job Function
Type:	Character
Description:	The Job Function code for the bill-to customer in the order.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.JOB_FUNCTION_CODE
Where equivalent:	
Qualification:	dimension
List of values:	24f, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Type: Description:	Birth Date Date The Birth Date for the bill-to customer in the order.
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.BIRTH_DATE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 24g, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Age Number The computed Age for the bill-to customer in the or der, if there is a birthdat e else null.
Select equivalent:	CASE WHEN ORDER_MBR_FND _MTG_CUS_INFO_VW.BIRTH_ DATE IS NULL THEN 0 ELSE( DATEDIFF ( YEAR, ORDER_MBR_FND_MTG_CUS_INFO_VW.BIRTH_DATE, getdate() ) - CASE WHEN 100 * MONTH(getdate()) + DAY(getdate()) < 100 * MONTH(ORDER_MBR _FND_MTG_CUS_INFO_VW.BI RTH_DATE) + DAY(ORDER_MB R_FND_MTG_CUS_INFO_VW.B IRTH_DATE) THEN 1 ELSE 0 END ) end
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 24h, editable, manual refresh, not exportable 0 in result, in condition, in sort show

Class: Description:	Donor Current Membership Info
Object: Type: Description:	Donor Member Type Character The Level2 code from the customers current national membership. This data is from CUS_CURRENT_MEMBER SHIP_INFO table that depe nds on the MBR900 TRS pro cess.
Select equivalent:	CUS_CURRENT_MEMBERSHIP_INFO.NATIONAL_LEVEL2
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 24j, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Donor Membership Begin Date Date The Membership Begin Date from the customers curre nt national membership. This data is from CUS_CUR RENT_MEMBERSHIP_INFO tab le that depends on the MB R900 TRS process.
Select equivalent:	CUS_CURRENT_MEMBERSHIP_INFO.CYCLE_BEGIN_DATE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 24k, editable, manual refresh, not exportable 0 in result, in condition, in sort show

Object: Type: Description:	Donor Membership End Date Date The membership end date f rom the customers current national membership. Thi s data is from CUS_CURREN T_MEMBERSHIP_INFO table that depends on the MBR90 0 TRS process.
Select equivalent:	CUS_CURRENT_MEMBERSHIP_INFO.CYCLE_END_DATE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 24I, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Donor Membership Grace Date Date The Grace Date from the c ustomers current national membership. This data is from CUS_CURRENT_MEMBER SHIP_INFO table that depe nds on the MBR900 TRS pro cess.
Select equivalent:	CUS_CURRENT_MEMBERSHIP_INFO.GRACE_DATE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 24m, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Donor Membership Description Character The Donor's Membership De scription from the custome

	rs current national membe rship. This data is from CUS_CURRENT_MEMBERSHIP_ INFO table that depends o n the MBR900 TRS process.
Select equivalent:	CUS_CURRENT_MEMBERSHIP_INFO.NATIONAL_DESCR
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 24n, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Donor Member Since Date Date The Donor's Membership or iginal start date from the customers current nationa I membership. This data i s from CUS_CURRENT_MEMBE RSHIP_INFO table that dep ends on the MBR900 TRS pr ocess.
Select equivalent:	CUS_CURRENT_MEMBERSHIP_INFO.NATIONAL_SINCE_DATE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 24o, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Donor Chapter 1 Character The Donor's first Chapter Description from the custo mers current national mem bership. This data is fro m CUS_CURRENT_MEMBERSHI

	P_INFO table that depends on the MBR900 TRS proces s.
Select equivalent:	CUS_CURRENT_MEMBERSHIP_INFO.CHAPTER_DESCR
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 24p, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Donor Chapter 2 Character The Donor's second Chapte r Description from the cus tomers current national m embership. This data is f rom CUS_CURRENT_MEMBERS HIP_INFO table that depen ds on the MBR900 TRS proc ess.
Select equivalent:	CUS_CURRENT_MEMBERSHIP_INFO.CHAPTER2_DESCR
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 24q, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Donor Section 1 Character The Donor's first Section (SIG) Description from th e customers current nation al membership. This data is from CUS_CURRENT_MEMB ERSHIP_INFO table that de pends on the MBR900 TRS p

	rocess.
Select equivalent:	CUS_CURRENT_MEMBERSHIP_INFO.SECTION_DESCR
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 24r, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Donor Section 2 Character The Donor's second Sectio n (SIG) Description from t he customers current natio nal membership. This dat a is from CUS_CURRENT_ME MBERSHIP_INFO table that depends on the MBR900 TRS process.
Select equivalent:	CUS_CURRENT_MEMBERSHIP_INFO.SECTION2_DESCR
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 24s, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Class: Description:	Donor Primary Employer Info
Object: Type: Description:	Employer Full Name Character The Donor Primary Employe r's Full Name is based on a relationship to the dono r's company.
Select equivalent:	Cus_Relationship_Related_

## Cus\_Info\_VW.RELATED\_CUS\_ LABEL\_NAME

Where equivalent:

Qualification: List of values: Security access level: Can be used: Object status:	dimension 24t, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Employer Last First Name Character The Donor Primary Employe r Last First Name is based on a relationship to the donor's company.
Select equivalent:	Cus_Relationship_Related_ Cus_Info_VW.RELATED_CUS_ LAST_FIRST_NAME
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 24u, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Employer Search Name Character The Donor Primary Employe r's Search Name is based on a relationship to the d onor's company.
Select equivalent:	Cus_Relationship_Related_ Cus_Info_VW.RELATED_CUS_ SEARCH_NAME
Where equivalent:	
Qualification:	dimension

List of values: Security access level: Can be used: Object status:	24v, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Employer Code Character The Donor's Primary Emplo yer Relationship Code is b ased on a relationship to the donor's company.
Select equivalent:	Cus_Relationship_Related_Cus_Info_VW.RELATIONSHIP_CODE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 24w, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Employment Reciprocal Code Character The Donor's Primary Emplo yment Reciprocal Code is based on a relationship to the donor's company. It's code describes the kind o f realtionship to the comp any such as employee, man ager, CFO, etc.
Select equivalent:	Cus_Relationship_Related_Cus_Info_VW.RECIPROCAL_CODE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 24x, editable, manual refresh, not exportable 0 in result, in condition, in sort show

Object: Type: Description:	Employment Begin Date Date The Donor's relationship e ffective date to a company is based on a relationshi p to the donor's company.
Select equivalent:	Cus_Relationship_Related_Cus_Info_VW.BEGIN_DATE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 24y, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Employment End Date Date The Donor's relationship e nd date to a company is b ased on a relationship to the donor's company.
Select equivalent:	Cus_Relationship_Related_Cus_Info_VW.END_DATE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 250, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Is this full time Employment? Character A flag to identify if this is full time employment wi th the realted company.
Select equivalent:	Cus_Relationship_Related_Cus_Info_VW.Full_Time_Flag
Where equivalent:	

Qualification: List of values: Security access level: Can be used: Object status:	dimension 251, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Supervisor Name Character The Donor's Primary Super visor Name is based on a r elationship to the donor's company.
Select equivalent:	Cus_Relationship_Related_Cus_Info_VW.Supervisor_Name
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 252, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Employer Class Code Character The company customer clas s code of the company is b ased on a relationship to the donor's company.
Select equivalent:	Cus_Relationship_Related_ Cus_Info_VW.Related_Cus_C ustomer_Class_Code
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 253, editable, manual refresh, not exportable 0 in result, in condition, in sort show

Object:

Type: Description:	Character The realted customer Reco rd Type is based on a rela tionship to the Donor. Va lues can be I, C, S or T.
Select equivalent:	Cus_Relationship_Related_Cus_Info_VW.Related_Cus_Record_Type
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 254, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Primary Employer Matching Percentage Number The related customer's Ma tching Percentage is based on a relationship to the donor.
Select equivalent: Where equivalent:	Cus_Relationship_Related_ Cus_Info_VW.RELATED_CUS_ FND_MATCHING_PERCENT
Qualification: List of values: Security access level: Can be used: Object status:	dimension 255, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Primary Employer Matching Limit Number The related customer's Ma tching Limit is based on a relationship to the donor
Select equivalent:	Cus_Relationship_Related_ Cus_Info_VW.RELATED_CUS_ FND_MATCHING_LIMIT

Where equivalent:

Qualification: List of values: Security access level: Can be used: Object status:	dimension 256, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Employer ID Character The related customer's Ma ster Customer ID is based on a relationship to the d onor.
Select equivalent:	Cus_Relationship_Related_ Cus_Info_VW.RELATED_CUS_ CusMastSubID
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 257, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Employer Master ID Character The related customer's Ma ster Customer ID is based on a relationship to the d onor.
Select equivalent:	Cus_Relationship_Related_ Cus_Info_VW.RELATED_MAST ER_CUSTOMER_ID
Where equivalent:	
Qualification: List of values: Security access level:	dimension 258, editable, manual refresh, not exportable 0

Can be used: Object status:	in result, in condition, in sort show
Object: Type: Description:	Employer Sub ID Number The related customer's Ma ster Sub Customer ID is ba sed on a relationship to t he donor.
Select equivalent:	Cus_Relationship_Related_ Cus_Info_VW.RELATED_SUB_ CUSTOMER_ID
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 259, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Is this the Primary Employer? Character Flag to identify the Prima ry Employer is based on a relationship to the donor.
Select equivalent:	Cus_Relationship_Related_Cus_Info_VW.Primary_Employer_Flag
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 25a, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Is the Primary Employer a Foundation? Character Flag to identify if the Pri

		mary Employer is a Founda tion is based on a relatio nship to the donor.
	Select equivalent:	Cus_Relationship_Related_ Cus_Info_VW.Related_Cus_F oundation_Flag
	Where equivalent:	
	Qualification:	dimension
	List of values:	25b, editable, manual refresh, not exportable
	Security access level:	0
	Can be used: Object status:	in result, in condition, in sort show
	Object:	Does the Primary Employer Match Donation?
	Type:	Character
	Description:	Flag to identify if the Pri
		mary Employer will Match Donations is based on a re
		lationship to the donor.
	Select equivalent:	Cus_Relationship_Related_
		Cus_Info_VW.Related_Cus_F nd_Matching_Flag
	Where equivalent:	
	Qualification:	dimension
	List of values:	25c, editable, manual refresh, not exportable
	Security access level:	0
	Can be used:	in result, in condition, in sort
	Object status:	show
	ass:	Donor Corporate Relationship Info
De	escription:	
	Object:	Subsidiary Full Name
	Туре:	Character
	Description:	The Subsidiary Full Name i
		s based on a relationship
		to the donor's company rel

Select equivalent:	Cus_Relationship_Subsidiary_Info_VW.RELATED_CUS_LABEL_NAME
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2bm, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Relationship Code Character The Donor Corporte Relati onship Code is based on a relationship to the donor' s company relationship.
Select equivalent:	Cus_Relationship_Subsidiary_Info_VW.RELATIONSHIP_CODE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2bn, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Reciprocal Code Character The Donor Corpoate Recipr ocal Code is based on the donation order bill-to cus tomer as the Parent or Su bsdiary of a Corporate rel ationship.
Select equivalent:	Cus_Relationship_Subsidiary_Info_VW.RECIPROCAL_CODE
Where equivalent:	
Qualification: List of values:	dimension 2bo, editable, manual refresh, not exportable

Security access level: Can be used: Object status:	0 in result, in condition, in sort show
Object: Type: Description:	Relationship Begin Date Date The Begin Date of a Corpo rate relationship is based on the donation order bil I-to customer as the Paren t or Subsdiary of a Corpor ate relationship.
Select equivalent:	Cus_Relationship_Subsidiary_Info_VW.BEGIN_DATE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2bp, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Relationship End Date Date The last date of a Corpora te relationship is based o n the donation order bill- to customer as the Parent or Subsdiary of a Corporat e relationship.
Select equivalent:	Cus_Relationship_Subsidiary_Info_VW.END_DATE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2bq, editable, manual refresh, not exportable 0 in result, in condition, in sort show

Object: Type: Description:	Customer Class Code Character The Corporte Customer Cla ss Code is based on the do nation order bill-to custo mer as the Parent or Subs diary of a Corporate relat ionship.
Select equivalent:	Cus_Relationship_Subsidia ry_Info_VW.Related_Cus_Cu stomer_Class_Code
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2br, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Record Type Character The Corporte Record Type is based on the donation o rder bill-to customer as t he Parent or Subsdiary of a Corporate relationship a nd should be "C".
Select equivalent:	Cus_Relationship_Subsidiary_Info_VW.Related_Cus_Record_Type
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2bs, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Subsidiary Matching Percentage Number Subsidiary Matching Perce ntage is the percent appli

	ed to a donation to get th e matched amount. It will exist if the donation ord er bill-to customer has a Subsdiary of a Corporate r elationship.
Select equivalent:	Cus_Relationship_Subsidia ry_Info_VW.RELATED_CUS_F ND_MATCHING_PERCENT
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2bt, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Subsidiary Matching Limit Number The Subsidiary Matching Li mit is the max amount mat ched from a donation. It w ill exist if the donation order bill-to customer has a Subsdiary of a Corporat e relationship.
Select equivalent:	Cus_Relationship_Subsidia ry_Info_VW.RELATED_CUS_F ND_MATCHING_LIMIT
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2bu, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Subsidiary Customer ID Character The Master Customer ID wi Il exist if the donation o rder bill-to customer has

	a Subsdiary of a Corporate relationship.
Select equivalent:	Cus_Relationship_Subsidiary_Info_VW.RELATED_CUS_CusMastSubID
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2bv, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Subsidiary Master Customer ID Character The Master Customer ID wi Il exist if the donation o rder bill-to customer has a Subsdiary of a Corporate relationship.
Select equivalent:	Cus_Relationship_Subsidia ry_Info_VW.RELATED_MASTE R_CUSTOMER_ID
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2bw, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Subsidiary Sub Customer ID Number The Sub Customer ID will exist if the donation ord er bill-to customer has a Subsdiary of a Corporate r elationship.
Select equivalent:	Cus_Relationship_Subsidia ry_Info_VW.RELATED_SUB_C USTOMER_ID

Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2bx, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Is the Subsidiary a Foundation? Character Flag to identify if the Su bsidiary is a Foundation a nd will exist if the donati on order bill-to customer has a Subsdiary of a Corpo rate relationship.
Select equivalent:	Cus_Relationship_Subsidiary_Info_VW.Related_Cus_Foundation_Flag
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2by, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Does the Subsidiary Match Donation? Character Flag to identify if the Su bsidiary has Match Donatio n Plan and will exist if t he donation order bill-to customer has a Subsdiary of a Corporate relationshi p.
Select equivalent:	Cus_Relationship_Subsidia ry_Info_VW.Related_Cus_Fn d_Matching_Flag
Where equivalent:	

Qualification: List of values: Security access level: Can be used: Object status:	dimension 2c0, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Class: Description:	Donor All Relationships Info
Object: Type: Description:	Relation Full Name Character The related customer's Ful I Name will exist if the d onation order bill-to cust omer has any relationship.
Select equivalent:	Cus_Relationship_All_Rela tion_Info_VW.RELATED_CUS _LABEL_NAME
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 29q, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Relation Last First Name Character The related customer's las t, first name will exist if the donation order bill-t o customer has any relatio nship.
Select equivalent:	Cus_Relationship_All_Rela tion_Info_VW.RELATED_CUS _LAST_FIRST_NAME
Where equivalent:	
Qualification: List of values:	dimension 29r, editable, manual refresh, not exportable

Security access level: Can be used: Object status:	0 in result, in condition, in sort show
Object: Type: Description:	Relation Search Name Character The related customer's Se arch Name will exist if th e donation order bill-to c ustomer has any relations hip.
Select equivalent:	Cus_Relationship_All_Rela tion_Info_VW.RELATED_CUS _SEARCH_NAME
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 29s, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Relationship Type Character The donor customer's relat ionship type will exist if the donation order bill-to customer has any relation ship.
Select equivalent:	Cus_Relationship_All_Relation_Info_VW.RELATIONSHIP_TYPE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2da, editable, manual refresh, not exportable 0 in result, in condition, in sort show

Object:

## Relationship Code

Type: Description:	Character The donor customer's relat ionship code will exist if the donation order bill-to customer has any relation ship.
Select equivalent:	Cus_Relationship_All_Relation_Info_VW.RELATIONSHIP_CODE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 29t, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Reciprocal Code Character The donor customer's relat ionship reciprocal code wi Il exist if the donation or der bill-to customer has a ny relationship.
Select equivalent:	Cus_Relationship_All_Relation_Info_VW.RECIPROCAL_CODE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 29u, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Begin Date Date The donor relationship sta rt date will exist if the d onation order bill-to cust omer has any relationship.
Select equivalent:	Cus_Relationship_All_Relation_Info_VW.BEGIN_DATE

## Where equivalent:

on
itable, manual refresh, not exportable
t, in condition, in sort
i

Object: Type: Description:	End Date Date The donor relationship las t date will exist if the do nation order bill-to custo mer has any relationship.
Select equivalent:	Cus_Relationship_All_Relation_Info_VW.END_DATE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 29w, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type:	Relation Class Code Character

Type:	Character
Description:	The donor relationship rel
	ated customer's customer
	class will exist if the don
	ation order bill-to custom
	er has any relationship.
Select equivalent:	Cus_Relationship_All_Rela
	tion_Info_VW.Related_Cus_
	Customer_Class_Code
Where equivalent:	
·····	
Qualification:	dimension
List of values:	29x, editable, manual refresh, not exportable
<b>o</b> '' I I	0

0

show

in result, in condition, in sort

Security access level:

Can be used:

Object status:

Object:	Related Record Type
Туре:	Character
Description:	The donor relationship rel
	ated customer'srecord typ
	e will exist if the donatio
	n order bill-to customer h
	as any relationship.
Select equivalent:	Cus_Relationship_All_Relation_Info_VW.Related_Cus_Record_Type
Where equivalent:	
Qualification:	dimension
List of values:	29y, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Related ID
Type:	Character
Description:	The donor relationship rel
	ated customer's master cu
	stomer ID will exist if th
	e donation order bill-to c
	ustomer has any relations
	hip.
Select equivalent:	Cus_Relationship_All_Rela
	tion_Info_VW.RELATED_CUS
	_CusMastSubID
Where equivalent:	
Qualification:	dimension
I that aff contracts	2a0, editable, manual refresh, not exportable
List of values:	
Security access level:	0
Security access level: Can be used:	in result, in condition, in sort
Security access level:	
Security access level: Can be used:	in result, in condition, in sort
Security access level: Can be used: Object status:	in result, in condition, in sort show

	ated customer's master cu stomer ID will exist if th e donation order bill-to c ustomer has any relations hip.	
Select equivalent:	Cus_Relationship_All_Rela tion_Info_VW.RELATED_MAS TER_CUSTOMER_ID	
Where equivalent:		
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2a1, editable, manual refresh, not exportable 0 in result, in condition, in sort show	
Object: Type: Description:	Related Sub ID Number The donor relationship rel ated customer's sub custo mer ID will exist if the d onation order bill-to cust omer has any relationship.	
Select equivalent:	Cus_Relationship_All_Rela tion_Info_VW.RELATED_SUB _CUSTOMER_ID	
Where equivalent:		
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2a2, editable, manual refresh, not exportable 0 in result, in condition, in sort show	
Class: Description:	Donor / Prospect Contact	
Object: Type: Description:	Donor Full Name Character The Donor's Full Name in a Contact Tracking record.	

Select equivalent:	CUSTOMER_DONOR_CONTACT.LABEL_NAME
Where equivalent:	
Qualification:	dimension
List of values:	25d, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Call Type Code
Type:	Character
Description:	The Call Type Code in a customer's Contact Tracking record.
Select equivalent:	CUS_ACTIVITY_CONTACT.CALL_TYPE_CODE
Where equivalent:	
Qualification:	dimension
List of values:	25e, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Activity Date
Type:	Date
Description:	The contact date in a customer's Contact Tracking record.
Select equivalent: Where equivalent:	CUS_ACTIVITY_CONTACT.ACTIVITY_DATE
Qualification:	dimension
List of values:	2b7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Call Topic Code
Type:	Character
Description:	The Call Topic Code in a customer's Contact Tracking record.
Select equivalent:	CUS_ACTIVITY_CONTACT.CALL_TOPIC_CODE

Where equivalent:		
Qualification: List of values: Security access level: Can be used: Object status:	dimension 25f, editable, manual refresh, not exportable 0 in result, in condition, in sort show	
Object: Type:	Call Subject Character	
Description:	The Call Subject in a customer's Contact Tracking record.	
Select equivalent:	CUS_ACTIVITY_CONTACT.CALL_TOPIC_SUBCODE	
Where equivalent:		
Qualification: List of values: Security access level: Can be used: Object status:	dimension 25g, editable, manual refresh, not exportable 0 in result, in condition, in sort show	
Object: Type: Description:	Staff User ID Character The staff Personify User ID in a customer's Contact Tracking record.	
Select equivalent: Where equivalent:	CUS_ACTIVITY_CONTACT.STAFF_USER_ID	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2ao, editable, manual refresh, not exportable 0 in result, in condition, in sort show	
Object: Type: Description:	Person Contacted Character The Person Contacted in a customer's Contact Tracki ng is the linked customer.	

Select equivalent:	CUS_ACTIVITY_CONTACT.PERSON_CONTACTED
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 25h, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Point of Contact Name Character The label name of the link ed customer contacted for this Contact Tracking reco rd.
Select equivalent:	CUSTOMER_CONTACT_REFERENCE.LABEL_NAME
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 25i, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Followup Date Date The follow-up date is the due date for a follow-up r ecord in Contact Tracking.
Select equivalent:	CUS_ACTIVITY_CONTACT.FOLLOWUP_DATE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 25j, editable, manual refresh, not exportable 0 in result, in condition, in sort show

Object: Type: Description:	Follwoup Action Date Date The Follow-up Action Date is the date the record was updated
Select equivalent:	CUS_ACTIVITY_CONTACT.FOLLOWUP_ACTION_DATE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 25k, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Resolved Date Date The Resolved Date is the date the contact activity ended.
Select equivalent: Where equivalent:	CUS_ACTIVITY_CONTACT.RESOLVED_DATE
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2b8, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Key Code Character The Key Code is code from List managagment that is entered on the Contact Tr acking record.
Select equivalent:	CUS_ACTIVITY_CONTACT.KEY_CODE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 25I, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Market Code Character The Market Code is code f
---	--
	rom List Managagment that is entered on the Contact Tracking record.
Select equivalent:	CUS_ACTIVITY_CONTACT.MARKET_CODE
Where equivalent:	
Qualification:	dimension
List of values: Security access level:	25m, editable, manual refresh, not exportable 0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	List Code
Type:	Character
Description:	The List Code is code from List managagment that is
	entered on the Contact Tr
	acking record to describe
	the List that the customer
	responded from.
Select equivalent:	CUS_ACTIVITY_CONTACT.LIST_CODE
Where equivalent:	
Qualification:	dimension
List of values:	25n, editable, manual refresh, not exportable
Security access level: Can be used:	0 in result, in condition, in sort
Object status:	show
Object:	Point of Contact ID
Туре:	Character
Description:	The master customer numbe
	r for the point of contact
	in the Contact Tracking r ecord.
Select equivalent:	CASE WHEN CUS_ACTIVITY_C

	ONTACT.REFERENCE_SUB_CU ST = 0 THEN CUS_ACTIVITY _CONTACT.REFERENCE_MAST _CUST ELSE CUS_ACTIVITY_ CONTACT.REFERENCE_MAST_ CUST + '-' + CONVERT(VAR CHAR, CUS_ACTIVITY_CONTA CT.REFERENCE_SUB_CUST ) END
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 25o, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Point of Contact Master ID Character The master customer numbe r for the point of contact in the Contact Tracking r ecord.
Select equivalent:	CUS_ACTIVITY_CONTACT.REFERENCE_MAST_CUST
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 25p, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Point of Contact Sub ID Number The sub customer number f or the point of contact in the Contact Tracking reco rd.
Select equivalent:	CUS_ACTIVITY_CONTACT.REFERENCE_SUB_CUST

Where equivalent:

Qualification: List of values: Security access level: Can be used: Object status:	dimension 25q, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent:	Is this Resolved? Character Flag to identify if this Co ntact Tracking record was completed by staff. CUS_ACTIVITY_CONTACT.RESOLVED_FLAG
Where equivalent:	COS_ACTIVITT_CONTACT.RESOLVED_FLAG
Qualification: List of values: Security access level: Can be used: Object status:	dimension 25r, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Class: Description:	Donor Proposals
Object: Type: Description: Select equivalent:	Donor ID Character The Master Customer ID who has this giving proposal plan. CASE WHEN FND_PROPOSAL.S UB_CUSTOMER_ID = 0 THEN FND_PROPOSAL.MASTER_CUS TOMER_ID ELSE FND_PROPOS AL.MASTER_CUSTOMER_ID + '-' + CONVERT(VARCHAR, F ND_PROPOSAL.SUB_CUSTOME R_ID) END
Where equivalent:	
Qualification: List of values: Security access level:	dimension 2c2, editable, manual refresh, not exportable 0

Can be used: Object status:	in result, in condition, in sort show
Object: Type: Description:	Donor Master ID Character The Master Customer ID who has this giving proposal plan.
Select equivalent:	FND_PROPOSAL.MASTER_CUSTOMER_ID
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2c3, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Donor Sub ID Number The Su b Customer ID who has this giving proposal plan.
Select equivalent:	FND_PROPOSAL.SUB_CUSTOMER_ID
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2c4, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Donor Full Name Character The label name of the customer who has this giving proposal plan.
Select equivalent:	CUSTOMER_FND_PROPOSAL.LABEL_NAME
Where equivalent:	
Qualification: List of values: Security access level: Can be used:	dimension 2c6, editable, manual refresh, not exportable 0 in result, in condition, in sort

Object status:	show
Object: Type: Description:	Proposal Description Character The text description this giving proposal plan maint ained on screen Proposal Maintenance, FND200_propo sal.
Select equivalent:	FND_PROPOSAL.DESCRIPTION
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2c7, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Proposal Status Code Character The current status of a Pr oposal can be Accepted, P ending or Rejected.
Select equivalent:	FND_PROPOSAL.PROPOSAL_STATUS_CODE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2c8, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Campaign Character The Campaign associated with this giving proposal.
Select equivalent:	FND_PROPOSAL.CAMPAIGN
Where equivalent:	

Qualification: List of values: Security access level: Can be used: Object status:	dimension 2c9, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type:	Fund Character
Description:	The Fund associated with this giving proposal.
Select equivalent:	FND_PROPOSAL.FUND
Where equivalent:	
Qualification:	dimension
List of values:	2ca, editable, manual refresh, not exportable
Security access level: Can be used:	0 in result, in condition, in sort
Object status:	show
Object:	Appeal
Type:	Character
Description:	The Appeal associated with this giving proposal.
Select equivalent:	FND_PROPOSAL.APPEAL
Where equivalent:	
Qualification:	dimension
List of values:	2cb, editable, manual refresh, not exportable
Security access level:	
Can be used: Object status:	in result, in condition, in sort show
	Show
Object:	Deadline Date
Туре:	Date
Description:	The Due Date with this giving proposal.
Select equivalent:	FND_PROPOSAL.DEADLINE_DATE
Where equivalent:	

Qualification: List of values: Security access level: Can be used: Object status:	dimension 2cc, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object:	Submission Date
Type:	Date
Description:	The Original Date the proposal was entered.
Select equivalent:	FND_PROPOSAL.SUBMISSION_DATE
Where equivalent:	
Qualification:	dimension
List of values:	2cd, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type:	Review Date Date
Description:	The last date the proposal was reviewed.
_ ••••p. •••	
Select equivalent:	FND_PROPOSAL.REVIEW_DATE
Where equivalent:	
Qualification:	dimension
List of values:	2ce, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Decision Date
Туре:	Date
Description:	The date the final status was recorded for this proposal.
Select equivalent:	FND_PROPOSAL.DECISION_DATE
Where equivalent:	
Qualification:	dimension

List of values: Security access level: Can be used: Object status:	2cf, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type:	Requested Amount
Description:	The first amount suggested for this proposal.
Select equivalent:	FND_PROPOSAL.REQUESTED_AMOUNT
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2cg, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Expected Amount Number The actual amount suggested for this proposal.
Select equivalent:	FND_PROPOSAL.EXPECTED_AMOUNT
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2ch, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Contact Person Character Free text name of the pers on contacted for this prop osal as different from the donor.
Select equivalent: Where equivalent:	FND_PROPOSAL.CONTACT_PERSON

Qualification:	dimension
List of values:	2ci, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Contact Phone
Type:	Character
Description:	The phone number of the person contacted for this proposal.
Select equivalent: Where equivalent:	FND_PROPOSAL.CONTACT_PHONE
Qualification:	dimension
List of values:	2cj, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Class: E Description:	onor Household
Object: Type: Description: Select equivalent: Where equivalent: Qualification: List of values: Security access level: Can be used: Object status:	Household ID Character Identifies the Household ID. CUS_Household.CUS_Household_ID dimension 2lh, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent: Qualification:	Household Name Character Identifies the household Name. CUS_Household.Household_Name
List of values:	2li, editable, manual refresh, not exportable
Security access level:	0

Can be used: Object status:	in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent:	Household Class Code Character Identifies if the record if of type HOUSEHOLD or not. CUS_Household.Household_Class_Code
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2lj, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent:	Household Class Description Character Identifies the description of the household record. APP_CODE_HH_CLASS.DESCR
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2nm, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Household Status Code Character Identifies the household s tatus which have the follo wing three values 'Active' ,'Dissolved' or 'Duplicat e'.
Select equivalent: Where equivalent:	CUS_Household.Household_Status_Code
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2lk, editable, manual refresh, not exportable 0 in result, in condition, in sort show

Object:	Household Status Description
Туре:	Character
Description:	Identifies the description of the household status.
Select equivalent:	APP_CODE_HH_STATUS.DESCR
Where equivalent:	
Qualification:	dimension
List of values:	2nl, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Household Status Date
Type:	Date Identifies the date when t
Description:	he household was made act
	ive or dissolved.
Select equivalent:	CUS_Household.Household_Status_Date
Where equivalent:	COS_Household.Household_Status_Date
Qualification:	dimension
List of values:	2ll, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
ss: scription:	Household Address
Object:	Address 1 Character
Type: Description:	Identifies the address 1 of the household
Select equivalent:	CUS_ADDRESS_HH.ADDRESS_1
Where equivalent.	
where equivalent:	
Qualification:	dimension
Where equivalent: Qualification: List of values:	dimension 2lv, editable, manual refresh, not exportable
Qualification: List of values: Security access level:	
Qualification: List of values:	2lv, editable, manual refresh, not exportable

Object:

Address 2

Type: Description: Select equivalent: Where equivalent:	Character Identifies the address 2 of the household CUS_ADDRESS_HH.ADDRESS_2
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2lw, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent:	Address 3 Character Identifies the address 3 of the household CUS_ADDRESS_HH.ADDRESS_3
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2lx, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent:	Address 4 Character Identifies the address 4 of the household
Where equivalent:	CUS_ADDRESS_HH.ADDRESS_4
	CUS_ADDRESS_HH.ADDRESS_4 dimension 2ly, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Where equivalent: Qualification: List of values: Security access level: Can be used:	dimension 2ly, editable, manual refresh, not exportable 0 in result, in condition, in sort

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	State Character Identifies the state of the household CUS_ADDRESS_HH.STATE
Qualification:	dimension
List of values:	2m1, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	Postal Code Character Identifies the postal code of the household CUS_ADDRESS_HH.POSTAL_CODE
Qualification:	dimension
List of values:	2m2, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	Country Character Identifies the country of the household CUS_ADDRESS_HH.COUNTRY_DESCR
Qualification:	dimension
List of values:	2mf, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Formatted City State Postal
Type:	Character

Description: Select equivalent: Where equivalent:	Identifies the formatted city , state and postal of the household CUS_ADDRESS_HH.FORMATTED_CITY_STATE_POSTAL
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2m3, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Class: Description:	Household Member
Object: Type: Description: Select equivalent: Where equivalent:	Member Master Customer ID Character Identifies the member master customer id of the household CUS_HH_Member.Master_Customer_ID
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2nf, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent: Qualification: List of values: Security access level: Can be used: Object status:	Member Sub Customer ID Number Identifies the member sub customer id of the household CUS_HH_Member.Sub_Customer_ID dimension 2ng, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent:	Member Last Name Character Identifies the member last name of the household CUSTOMER_HH_MEMBER.LAST_NAME

Qualification:	dimension
List of values:	2no, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	Member First Name Character Identifies the member first name of the household. CUSTOMER_HH_MEMBER.FIRST_NAME
Qualification:	dimension
List of values:	2np, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	Household Role Code Character Identifies if the role of t he member within a househ old. with values as 'HOUSE HOLD', 'HOUSEHOLD_MEMBE R ' or 'HEAD_OF_HOUSEHO LD' CUS_HH_Member.Household_Role_Code
Qualification:	dimension
List of values:	2nh, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description:	Household Role Description Character Identifies the descriptio n role of the member withi n a household. with values as 'HOUSEHOLD', 'HOUSEH OLD_MEMBER ' or 'HEAD_O F_HOUSEHOLD'

Select equivalent: Where equivalent:	APP_CODE_HH_MEMBER_ROLE.DESCR
Qualification:	dimension
List of values:	2nn, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	Begin Date Date Identifies the begin date when a member is added to the household. CUS_HH_Member.Begin_Date
Qualification:	dimension
List of values:	2ni, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	End Date Date Identifies when the house hold member will end. CUS_HH_Member.End_Date
Qualification:	dimension
List of values:	2nj, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	Active Flag Character Identifies if the household member is active or not. CUS_HH_Member.Active_Flag
Qualification:	dimension
List of values:	2nk, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status:	show
ass: escription:	Household Fundraising Recognition
Object:	Fund Recognition ID
Туре:	Number
Description:	Identifies the household fund recognition id.
Select equivalent: Where equivalent:	FND_HH_RECOGNITION.FND_HH_RECOGNITION_ID
Qualification:	dimension
List of values:	2nq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Recognition Structure
Туре:	Character
Description:	Identifies the recognition structure.
Select equivalent:	FND_HH_RECOGNITION.RECOGNITION_STRUCTURE
Where equivalent:	
Qualification:	dimension
List of values:	2nt, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Customer Type Code
Type:	Character
Description:	Idetnifies the customer type of the household member.
Select equivalent:	FND_HH_RECOGNITION.CUSTOMER_TYPE_CODE
Where equivalent:	
Qualification:	dimension
List of values:	2nu, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:

Type: Description: Select equivalent: Where equivalent:	Character Identifies the recognistion level of the household member donation. FND_HH_RECOGNITION.RECOGNITION_LEVEL_CODE
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2nv, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Campaign Character Identifies the campaign to which the donation was m ade by the household memb er.
Select equivalent: Where equivalent:	FND_HH_RECOGNITION.CAMPAIGN
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2nx, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent:	Fund Character Identifies the fund to whi ch the donation was made by the household member. FND_HH_RECOGNITION.FUND
Where equivalent:	dimension
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2ny, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Donation Amount Number Identifies the amouunt of

Select equivalent: Where equivalent:	the donation made by the household member. FND_HH_RECOGNITION.DONATION_AMOUNT	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2o0, editable, manual refresh, not exportable 0 in result, in condition, in sort show	
Object: Type: Description: Select equivalent: Where equivalent:	Award Date Date Identifies the award date. FND_HH_RECOGNITION.AWARD_DATE	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2o1, editable, manual refresh, not exportable 0 in result, in condition, in sort show	
Class: Description:	Household Fundraising Credit	
Description: Object: Type: Description: Select equivalent: Where equivalent: Qualification:	Fund Credit ID Number Identifies the fund credit id. FND_HH_CREDIT.FND_HH_CREDIT_ID dimension	
Description: Object: Type: Description: Select equivalent: Where equivalent:	Fund Credit ID Number Identifies the fund credit id. FND_HH_CREDIT.FND_HH_CREDIT_ID	

Qualification:	dimension
List of values:	2ob, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	Manual Credit Flag Character Identifies the manual credit flag. FND_HH_CREDIT.MANUAL_CREDIT_FLAG
Qualification:	dimension
List of values:	2oc, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	Product Type Code Character Identifies the product type code. FND_HH_CREDIT.PRODUCT_TYPE_CODE
Qualification:	dimension
List of values:	2od, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	Product ID Number Identifies the product id. FND_HH_CREDIT.PRODUCT_ID
Qualification:	dimension
List of values:	2oe, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Type: Description: Select equivalent: Where equivalent:	Order No Character Identifies the order no of the donation. FND_HH_CREDIT.ORDER_NO
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2of, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent:	Order Line No Number Identifies the order line no of the donation. FND_HH_CREDIT.ORDER_LINE_NO
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2og, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent:	Campaign Character Identifies the campaign of the donation. FND_HH_CREDIT.CAMPAIGN
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2oh, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent:	Fund Character Identifies the fund of the donation. FND_HH_CREDIT.FUND

Qualification:	dimension
List of values:	2oi, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	Appeal Character Identifies the appeal of the donation. FND_HH_CREDIT.APPEAL
Qualification:	dimension
List of values:	2oj, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	Appeal Activity Code Character Identifies the appeal activity code of the donation. FND_HH_CREDIT.APPEAL_ACTIVITY_CODE
Qualification:	dimension
List of values:	2ok, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	Solicitor Team Character identifies the solictation team. FND_HH_CREDIT.SOLICITOR_TEAM
Qualification:	dimension
List of values:	2ol, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Type: Description: Select equivalent: Where equivalent:	Solicitor Mast Cust Character Identifies the solicitor master customer id. FND_HH_CREDIT.SOLICITOR_MAST_CUST
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2om, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent:	Solicitor Sub Cust Number Identifies the solictior sub customer id. FND_HH_CREDIT.SOLICITOR_SUB_CUST
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2on, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent:	Description Character Identifies the description of the credit. FND_HH_CREDIT.DESCRIPTION
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2oo, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent:	Credit Amount Number Identifies the credit amount. FND_HH_CREDIT.CREDIT_AMOUNT
Qualification:	dimension

List of values:	2op, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Donor Name
Type:	Character
Description: Select equivalent: Where equivalent:	Identifies the donor name. FND_HH_CREDIT.DONOR_NAME
Qualification:	dimension
List of values:	2os, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	Comments Character Identifies the comments for the credit. FND_HH_CREDIT.COMMENTS
Qualification:	dimension
List of values:	2ot, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	Record Type Code Character Identifies the record type code of the donor. FND_HH_CREDIT.RECORD_TYPE_CODE
Qualification:	dimension
List of values:	2ou, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
ass:	Household Creation & Modification Info
escription:	This class includes custome

r creation (date/user) and modification (date/user) in formation.

Object: Type: Description: Select equivalent: Where equivalent:	Houehold Creation Date Date This is the date when the household record was created. CUS_Household.ADDDATE
Qualification:	dimension
List of values:	2p4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	Household Creation User Character This is the user who created the household record. CUS_Household.ADDOPER
Qualification:	dimension
List of values:	2p5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	Household Modification Date Date This is the date when the customer household was last modified. CUS_Household.ADDDATE
Qualification:	dimension
List of values:	2p6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Household Modification User
Type:	Character
Description:	This is the user who last modified the household record.

Select equivalent: Where equivalent:	CUS_Household.ADDOPER
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2p7, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Class: Description:	Estimated Giving
Object: Type: Description:	Actual Amount Donated Number The Actual Amount Donated for each donation selecte d used in the FND700 proc ess for giving projections
Select equivalent: Where equivalent:	FND700_ESTIMATE.ACTUAL_AMOUNT
Qualification: List of values: Security access level: Can be used: Object status:	dimension 263, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Actual Total Amount Donated Number The Actual Total Amount D onated for this donor used in the FND700 process for giving projections.
Select equivalent:	FND700_ESTIMATE.ACTUAL_TOTAL_AMOUNT
Where equivalent:	
Qualification: List of values: Security access level:	dimension 264, editable, manual refresh, not exportable 0

Can be used: Object status:	in result, in condition, in sort show
Object: Type: Description:	Campaign Character The Campaign for selected donations used in the FN D700 process for giving pr ojections.
Select equivalent:	FND700_ESTIMATE.CAMPAIGN
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 265, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Fund Character The Fund for selected don ations used in the FND700 process for giving projec tions.
Select equivalent:	FND700_ESTIMATE.FUND
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 266, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Appeal Character The Appeal for selected d onations used in the FND7 00 process for giving proj

	ections.
Select equivalent:	FND700_ESTIMATE.APPEAL
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 267, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Donation Code Character The Appeal Code for the s elected donation used in t he FND700 process for givi ng projections.
Select equivalent:	FND700_ESTIMATE.CAMPAIGN_FUND_APPEAL
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 268, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent:	Donation Year Character The Year used in the FND700 process for giving projections. FND700_ESTIMATE.YEAR_OF_TXN
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 269, editable, manual refresh, not exportable 0 in result, in condition, in sort show

Object: Type: Description:	Donation Percent Up Number The Percent increase para meter used in the FND700 process for giving project ions.
Select equivalent:	FND700_ESTIMATE.PERCENT_UP
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 26a, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Donation Percent Down Number The percent reduction app lied to a donors past cont ributions used in the FND7 00 process for giving proj ections.
Select equivalent:	FND700_ESTIMATE.PERCENT_DOWN
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 26b, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Total Donation Estimate Number The computed Total Donati on Estimate for the next y ear used in the FND700 pr ocess for giving projectio ns.
Select equivalent:	FND700_ESTIMATE.TOTAL_ESTIMATE

Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 26c, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Currency of Donation Character The Currency of Donations selected per donor used i n the FND700 process for giving projections.
Select equivalent:	FND700_ESTIMATE.CURRENCY_CODE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 26d, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Class: Description:	Planned Giving
Object: Type: Description: Select equivalent:	Donor ID Character The master customer ID of the donor with a planned giving record. CASE WHEN FND_PLANNED_G IVING.SUB_CUSTOMER_ID = 0 THEN FND_PLANNED_GIVIN G.MASTER_CUSTOMER_ID ELS E FND_PLANNED_GIVING.MAS TER_CUSTOMER_ID + '-' + CONVERT(VARCHAR, FND_PLA NNED_GIVING.SUB_CUSTOME R_ID) END

Where equivalent:

Qualification:	dimension
List of values:	2ck, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Donor Master ID
Type:	Character
Description:	The master customer ID of the donor with a planned giving record.
Select equivalent:	FND_PLANNED_GIVING.MASTER_CUSTOMER_ID
Where equivalent:	
Qualification:	dimension
List of values:	2cl, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Donor Sub ID
Type:	Number
Description:	The sub customer ID of the donor with a planned giving record.
Select equivalent:	FND_PLANNED_GIVING.SUB_CUSTOMER_ID
Where equivalent:	
Qualification:	dimension
List of values:	2cm, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Donor Full Name
Type:	Character
Description:	The label name of the donor with planned giving record.
Select equivalent:	CUSTOMER_FND_PLANNED_GIVING.LABEL_NAME

Where equivalent:

Qualification:	dimension
List of values:	2cn, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object: Type: Description:	Plan Type Code Character The Plan Type Code is for a planned giving record. Values are Bequest, Charit able Gift Annuity, Charita ble Lead Annuity Trust, C haritable Lead Unitrust, Charitable Remainder Annu ity Trust, Charitable Rem ainder Unitrust, Life Esta te Agreement, Pooled Inco me Fund.
Select equivalent:	FND_PLANNED_GIVING.PLAN_TYPE_CODE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2cp, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Plan Status Code Character The Plan Status Code is ch anged during negotiations and can be Active, Pendin g or Rejected.
Select equivalent:	FND_PLANNED_GIVING.PLAN_STATUS_CODE
Where equivalent:	

Qualification: List of values: Security access level: Can be used: Object status:	dimension 2cq, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Plan Description Character The text Plan Description entered on screen FND210_ Planned_Giving.
Select equivalent:	FND_PLANNED_GIVING.DESCRIPTION
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2cr, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Principal Amount Number The face value of the plan.
Туре:	Number
Type: Description:	Number The face value of the plan.
Type: Description: Select equivalent:	Number The face value of the plan.
Type: Description: Select equivalent: Where equivalent: Qualification: List of values: Security access level: Can be used:	Number The face value of the plan. FND_PLANNED_GIVING.PRINCIPAL_AMOUNT dimension 2cs, editable, manual refresh, not exportable 0 in result, in condition, in sort
Type: Description: Select equivalent: Where equivalent: Qualification: List of values: Security access level: Can be used: Object status: Object: Type:	Number The face value of the plan. FND_PLANNED_GIVING.PRINCIPAL_AMOUNT dimension 2cs, editable, manual refresh, not exportable 0 in result, in condition, in sort show Cost Basis Number

Qualification: List of values: Security access level: Can be used: Object status:	dimension 2ct, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type:	Interest Rate Number
Description:	The Interest Rate percent used to calculate the annuity.
Select equivalent:	FND_PLANNED_GIVING.INTEREST_RATE
Where equivalent:	
Qualification:	dimension
List of values:	2cu, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Payout Rate
Type:	Number
Description:	The percent of the princip
	al to be paid out at the a ssigned frequency.
	ssigned nequency.
Select equivalent:	FND_PLANNED_GIVING.PAYOUT_RATE
Where equivalent:	
Qualification:	dimension
List of values:	2cv, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Asset Type Code
Туре:	Character
Description:	The Asset Type Code is ma
	intained in Type ASSET_TY
	PE. It describes the cate
	gory of asset valued in th

	e plan such as Land, Vehic le.
Select equivalent:	FND_PLANNED_GIVING.ASSET_TYPE_CODE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2cw, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Payout Frequency Code Character The time interval to pay o ut the annuity. Values ar e Monthly, Quaterly and Y early.
Select equivalent:	FND_PLANNED_GIVING.PAYOUT_FREQUENCY_CODE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2cx, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent:	Terms in Years Number The Terms in Years that is calculated based on the payout. FND_PLANNED_GIVING.TERMS_IN_YEARS
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2cy, editable, manual refresh, not exportable 0 in result, in condition, in sort show

Object: Type: Description:	First Payment Date Date The date entered as first date to pay from the annuity.
Select equivalent:	FND_PLANNED_GIVING.FIRST_PAYMENT_DATE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2d0, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Transfer Date Date The date entered in Plann ed Giving as the date the plan was transferred.
Select equivalent:	FND_PLANNED_GIVING.TRANSFER_DATE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2d1, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent:	Valuation Date Date The date the asset was valued. FND_PLANNED_GIVING.VALUATION_DATE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2d2, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object:	Trustee
------------------------	--
Type:	Character
Description:	Free text full name of a trustee.
Select equivalent:	FND_PLANNED_GIVING.TRUSTEE
Where equivalent:	
Qualification:	dimension
List of values:	2d3, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Staff Assigned
Type:	Character
Description:	The Staff Assigned assigned to the plan from the User Security list.
Select equivalent:	FND_PLANNED_GIVING.STAFF_ASSIGNED
Where equivalent:	
Qualification:	dimension
List of values:	2d4, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Beneficiary 1
Type:	Character
Description:	NOT USED
Select equivalent:	FND_PLANNED_GIVING.BENEFICIARY_1
Where equivalent:	
Qualification:	dimension
List of values:	2d5, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:	Beneficiary 2
Type:	Character
Description:	NOT USED
Select equivalent:	FND_PLANNED_GIVING.BENEFICIARY_2
Where equivalent:	
Qualification:	dimension
List of values:	2d6, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Campaign
Type:	Character
Description:	The Campaign assigned to this plan for the campaigns goal.
Select equivalent: Where equivalent:	FND_PLANNED_GIVING.CAMPAIGN
Qualification:	dimension
List of values:	2d7, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Fund
Type:	Character
Description:	The Fund assigned to this plan for the Fund's goal.
Select equivalent: Where equivalent:	FND_PLANNED_GIVING.FUND
Qualification:	dimension
List of values:	2d8, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Appeal
Type:	Character

\_

Description:	The Appeal assigned to this plan for the Appeal's goal.
Select equivalent: Where equivalent:	FND_PLANNED_GIVING.APPEAL
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2d9, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Giving Status Code Character The donor's giving status on the Donor Central scree n based on giving frequen cy.
Select equivalent: Where equivalent:	FND_CUSTOMER.DONOR_GIVING_STATUS_CODE
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2ew, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent:	Giving Status Description Character The description for the Gi ving Status Code. See fix ed Type DONOR_GIVING_STA TUS. APP_CODE_GIVING_STATUS.DESCR
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2fh, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type:	Giving Class Code Character

Description: Select equivalent: Where equivalent:	Identified the Donor Givin g Class based on giving hi story. See fixed Type DO NOR_GIVING_CLASS FND_CUSTOMER.DONOR_GIVING_CLASS_CODE
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2ex, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description: Select equivalent: Where equivalent:	Giving Class Description Character The Donor Giving Class Code text description. APP_CODE_GIVING_CLASS.DESCR
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2fg, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Class: [ Description:	Miscellaneous Comments
Object: Type: Description: Select equivalent: Where equivalent: Qualification: List of values: Security access level:	Comment Type Code Character The comment type that the comment was created by the user. CUS_COMMENT.COMMENT_TYPE_CODE dimension 2jl, editable, manual refresh, not exportable 0
Can be used: Object status: Object: Type:	in result, in condition, in sort show Comments Character
Description:	The comment text created by the user.

Select equivalent: Where equivalent:	CUS_COMMENT.COMMENTS
Qualification:	dimension
List of values:	2jm, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	Comment Creation Date Date The date the comment was created. CUS_COMMENT.ADDDATE
Qualification:	dimension
List of values:	2jo, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	Comment Creation User Character The user that created the comment. CUS_COMMENT.ADDOPER
Qualification:	dimension
List of values:	2jn, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	Comment Modification Date Date The date the comment was modified. CUS_COMMENT.MODDATE
Qualification:	dimension
List of values:	2jq, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort

Object status:	show
Object: Type: Description: Select equivalent: Where equivalent:	Comment Modification User Character The user that modified the comment. CUS_COMMENT.MODOPER
Qualification: List of values: Security access level: Can be used: Object status:	dimension 2jp, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Class: Description:	Giving Analysis
Object: Type: Description:	First Gift Amount Number The First Gift Amount based on the lowest order number.
Select equivalent: Where equivalent:	CASE WHEN ORDER_MBR_FND _MTG_CUS_INFO_VW.ORDER_ NO =MIN(ORDER_MBR_FND_M TG_CUS_INFO_VW.ORDER_NO ) THEN ORDER_MBR_FND_MT G_CUS_INFO_VW.BASE_TOTA L_AMOUNT ELSE 0 END ORDER_MBR_FND_MTG_CUS_ INFO_VW.ORDER_STATUS_CO DE='A' AND ORDER_MBR_FND _MTG_CUS_INFO_VW.LINE_ST ATUS_CODE = 'A'
Qualification: Aggregate function: List of values: Security access level: Can be used: Object status: Format	measure Min no 0 in result, in condition, in sort show Number Category = Currency \$#,##0.00

Object:	First Gift Date
Type:	Date
Description:	The First Gift Date from the earliest order date.
Select equivalent: Where equivalent:	MIN(ORDER_MBR_FND_MTG_CUS_INFO_VW.ORDER_DATE) ORDER_MBR_FND_MTG_CUS_I NFO_VW.ORDER_STATUS_COD E='A' AND ORDER_MBR_FND_ MTG_CUS_INFO_VW.LINE_STA TUS_CODE = 'A'
Qualification:	dimension
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	First Gift Type
Туре:	Character
Description:	The first donation order b
	y order date where the lin
	e status and order status
	is Active to get the donat
	ion product's product type
	; Cash, Pledge, Inkind
Select equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.PRODUCT_TYPE_CODE
Where equivalent:	ORDER_MBR_FND_MTG_CUS_I
Whole equivalent.	NFO_VW.PRODUCT_TYPE_COD
	E IN (SELECT TOP 1 ORDER
	MBR FND MTG CUS INFO V
	W.PRODUCT_TYPE_CODE FRO
	M ORDER_MBR_FND_MTG_CUS
	INFO_VW WHERE ORDER_MB
	R FND MTG CUS INFO VW.O
	RDER_STATUS_CODE='A' AND
	ORDER_MBR_FND_MTG_CUS_
	INFO_VW.LINE_STATUS_CODE
	= 'A'
	ORDER BY ORDER_MBR_F
	ND_MTG_CUS_INFO_VW.ORDE
	R_DATE)

Qualification:	dimension
List of values:	26g, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	First Gift Donor
Type:	Character
Description:	The First Gift Donorin the system.
Select equivalent: Where equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.BILL_LABEL_NAME ORDER_MBR_FND_MTG_CUS_I NFO_VW.BILL_MASTER_CUST OMER_ID IN (SELECT TOP 1 ORDER_MBR_FND_MTG_CUS_ INFO_VW.BILL_MASTER_CUST OMER_ID FROM ORDER_MBR_ FND_MTG_CUS_INFO_VW WHE RE ORDER_MBR_FND_MTG_CU S_INFO_VW.ORDER_STATUS_ CODE='A' AND ORDER_MBR_F ND_MTG_CUS_INFO_VW.LINE _STATUS_CODE = 'A'
Qualification: List of values: Security access level: Can be used: Object status:	ORDER BY ORDER_MBR_FND_MTG_CUS_ INFO_VW.ORDER_DATE) dimension 26h, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object:	Last Gift Amount
Type:	Number
Description:	The Last Gift Amount in the system.
Select equivalent: Where equivalent:	ORDER_MBR_FND_MTG_CUS_INFO_VW.BASE_TOTAL_AMOUNT ORDER_MBR_FND_MTG_CUS_I NFO_VW.BASE_TOTAL_AMOUN T IN ( SELECT TOP 9999 O RDER_MBR_FND_MTG_CUS_IN FO_VW.BASE_TOTAL_AMOUNT FROM ORDER_MBR_FND_MT

G\_CUS\_INFO\_VW WHERE OR DER\_MBR\_FND\_MTG\_CUS\_INF O\_VW.ORDER\_STATUS\_CODE= 'A' AND ORDER\_MBR\_FND\_MT G\_CUS\_INFO\_VW.LINE\_STATU S\_CODE = 'A'

ORDER BY ORDER \_MBR\_FND\_MTG\_CUS\_INFO\_V W.ORDER\_DATE) measure Sum 26i, editable, manual refresh, not exportable 0 in result, in condition, in sort show

Qualification: Aggregate function: List of values: Security access level: Can be used: Object status:

Object:
Туре:
Description:

Object status:

Last Gift Date Date The lastest donation date.

Select equivalent: Max(ORDER\_MBR\_FND\_MTG\_CUS\_INFO\_VW.ORDER\_DATE) Where equivalent: ORDER\_MBR\_FND\_MTG\_CUS\_I NFO\_VW.ORDER\_STATUS\_COD E='A' AND ORDER\_MBR\_FND\_ MTG\_CUS\_INFO\_VW.LINE\_STA TUS\_CODE = 'A' Qualification: dimension List of values: no Security access level: 0 Can be used: in result, in condition, in sort

Object:	Last Gift Type
Туре:	Character
Description:	The lastest donation Gift Type

show

Select equivalent: ORDER\_MBR\_FND\_MTG\_CUS\_INFO\_VW.PRODUCT\_TYPE\_CODE Where equivalent: ORDER\_MBR\_FND\_MTG\_CUS\_I NFO\_VW.PRODUCT\_TYPE\_COD E IN (SELECT TOP 12000 OR DER\_MBR\_FND\_MTG\_CUS\_INF O\_VW.PRODUCT\_TYPE\_CODE FROM ORDER\_MBR\_FND\_MTG\_

CUS\_INFO\_VW WHERE ORDER MBR FND MTG CUS INFO V W.ORDER\_STATUS\_CODE='A' AND ORDER\_MBR\_FND\_MTG\_C US\_INFO\_VW.LINE\_STATUS\_C ODE = 'A'

ORDER BY ORDER\_MB R\_FND\_MTG\_CUS\_INFO\_VW.O RDER\_DATE) dimension 26k, editable, manual refresh, not exportable 0 in result, in condition, in sort show

Qualification: List of values: Security access level: Can be used: Object status:

Object: Type: Description:

Select equivalent: Where equivalent: Last Gift Donor Character The lastest donation donor.

ORDER\_MBR\_FND\_MTG\_CUS\_INFO\_VW.BILL\_LABEL\_NAME ORDER\_MBR\_FND\_MTG\_CUS\_I NFO\_VW.BILL\_MASTER\_CUST OMER\_ID IN (SELECT TOP 1 2000 ORDER\_MBR\_FND\_MTG\_ CUS\_INFO\_VW.BILL\_MASTER\_ CUSTOMER ID FROM ORDER MBR\_FND\_MTG\_CUS\_INFO\_VW WHERE ORDER\_MBR\_FND\_MT G\_CUS\_INFO\_VW.ORDER\_STA TUS\_CODE='A' AND ORDER\_M BR\_FND\_MTG\_CUS\_INFO\_VW. LINE STATUS CODE = 'A'

## ORDE

	R BY ORDER_MBR_FND_MTG_
	CUS_INFO_VW.ORDER_DATE)
Qualification:	dimension
List of values:	26l, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show

Object:

## Largest Gift Amount

Туре:	Number
Description:	The Largest Gift Amount in all Active order lines.
Select equivalent:	isnull(max(ORDER_MBR_FND _MTG_CUS_INFO_VW.BASE_T OTAL_AMOUNT),0)
Where equivalent:	ORDER_MBR_FND_MTG_CUS_I NFO_VW.ORDER_STATUS_COD E='A' AND ORDER_MBR_FND_ MTG_CUS_INFO_VW.LINE_STA TUS_CODE = 'A'
Qualification:	measure
Aggregate function:	Max
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort show
Object status: Format	Number
- office	Category = Currency \$#,##0.00
Object:	Year To Date Amount
Туре:	Number
Description:	The total Year To Date Am
Description:	ount in the system for the
Description:	
Description: Select equivalent:	ount in the system for the
	ount in the system for the current calendar year.
	ount in the system for the current calendar year. isnull(sum(ORDER_MBR_FND _MTG_CUS_INFO_VW.BASE_T OTAL_AMOUNT),0)
	ount in the system for the current calendar year. isnull(sum(ORDER_MBR_FND _MTG_CUS_INFO_VW.BASE_T OTAL_AMOUNT),0) ORDER_MBR_FND_MTG_CUS_I
Select equivalent:	ount in the system for the current calendar year. isnull(sum(ORDER_MBR_FND _MTG_CUS_INFO_VW.BASE_T OTAL_AMOUNT),0) ORDER_MBR_FND_MTG_CUS_I NFO_VW.ORDER_STATUS_COD
Select equivalent:	ount in the system for the current calendar year. isnull(sum(ORDER_MBR_FND _MTG_CUS_INFO_VW.BASE_T OTAL_AMOUNT),0) ORDER_MBR_FND_MTG_CUS_I NFO_VW.ORDER_STATUS_COD E='A' AND ORDER_MBR_FND_
Select equivalent:	ount in the system for the current calendar year. isnull(sum(ORDER_MBR_FND _MTG_CUS_INFO_VW.BASE_T OTAL_AMOUNT),0) ORDER_MBR_FND_MTG_CUS_I NFO_VW.ORDER_STATUS_COD E='A' AND ORDER_MBR_FND_ MTG_CUS_INFO_VW.LINE_STA
Select equivalent:	ount in the system for the current calendar year. isnull(sum(ORDER_MBR_FND _MTG_CUS_INFO_VW.BASE_T OTAL_AMOUNT),0) ORDER_MBR_FND_MTG_CUS_I NFO_VW.ORDER_STATUS_COD E='A' AND ORDER_MBR_FND_ MTG_CUS_INFO_VW.LINE_STA TUS_CODE = 'A' AND year(O
Select equivalent:	ount in the system for the current calendar year. isnull(sum(ORDER_MBR_FND _MTG_CUS_INFO_VW.BASE_T OTAL_AMOUNT),0) ORDER_MBR_FND_MTG_CUS_I NFO_VW.ORDER_STATUS_COD E='A' AND ORDER_MBR_FND_ MTG_CUS_INFO_VW.LINE_STA TUS_CODE = 'A' AND year(O RDER_MBR_FND_MTG_CUS_IN
Select equivalent:	ount in the system for the current calendar year. isnull(sum(ORDER_MBR_FND _MTG_CUS_INFO_VW.BASE_T OTAL_AMOUNT),0) ORDER_MBR_FND_MTG_CUS_I NFO_VW.ORDER_STATUS_COD E='A' AND ORDER_MBR_FND_ MTG_CUS_INFO_VW.LINE_STA TUS_CODE = 'A' AND year(O
Select equivalent:	ount in the system for the current calendar year. isnull(sum(ORDER_MBR_FND _MTG_CUS_INFO_VW.BASE_T OTAL_AMOUNT),0) ORDER_MBR_FND_MTG_CUS_I NFO_VW.ORDER_STATUS_COD E='A' AND ORDER_MBR_FND_ MTG_CUS_INFO_VW.LINE_STA TUS_CODE = 'A' AND year(O RDER_MBR_FND_MTG_CUS_IN FO_VW.ORDER_DATE) = YEAR
Select equivalent: Where equivalent: Qualification: Aggregate function:	ount in the system for the current calendar year. isnull(sum(ORDER_MBR_FND _MTG_CUS_INFO_VW.BASE_T OTAL_AMOUNT),0) ORDER_MBR_FND_MTG_CUS_I NFO_VW.ORDER_STATUS_COD E='A' AND ORDER_MBR_FND_ MTG_CUS_INFO_VW.LINE_STA TUS_CODE = 'A' AND year(O RDER_MBR_FND_MTG_CUS_IN FO_VW.ORDER_DATE) = YEAR (GETDATE())
Select equivalent: Where equivalent: Qualification: Aggregate function: List of values:	ount in the system for the current calendar year. isnull(sum(ORDER_MBR_FND _MTG_CUS_INFO_VW.BASE_T OTAL_AMOUNT),0) ORDER_MBR_FND_MTG_CUS_I NFO_VW.ORDER_STATUS_COD E='A' AND ORDER_MBR_FND_ MTG_CUS_INFO_VW.LINE_STA TUS_CODE = 'A' AND year(O RDER_MBR_FND_MTG_CUS_IN FO_VW.ORDER_DATE) = YEAR (GETDATE()) measure Sum no
Select equivalent: Where equivalent: Qualification: Aggregate function: List of values: Security access level:	ount in the system for the current calendar year. isnull(sum(ORDER_MBR_FND _MTG_CUS_INFO_VW.BASE_T OTAL_AMOUNT),0) ORDER_MBR_FND_MTG_CUS_I NFO_VW.ORDER_STATUS_COD E='A' AND ORDER_MBR_FND_ MTG_CUS_INFO_VW.LINE_STA TUS_CODE = 'A' AND year(O RDER_MBR_FND_MTG_CUS_IN FO_VW.ORDER_DATE) = YEAR (GETDATE()) measure Sum no 0
Select equivalent: Where equivalent: Qualification: Aggregate function: List of values: Security access level: Can be used:	ount in the system for the current calendar year. isnull(sum(ORDER_MBR_FND _MTG_CUS_INFO_VW.BASE_T OTAL_AMOUNT),0) ORDER_MBR_FND_MTG_CUS_I NFO_VW.ORDER_STATUS_COD E='A' AND ORDER_MBR_FND_ MTG_CUS_INFO_VW.LINE_STA TUS_CODE = 'A' AND year(O RDER_MBR_FND_MTG_CUS_IN FO_VW.ORDER_DATE) = YEAR (GETDATE()) measure Sum no 0 in result, in condition, in sort
Select equivalent: Where equivalent: Qualification: Aggregate function: List of values: Security access level:	ount in the system for the current calendar year. isnull(sum(ORDER_MBR_FND _MTG_CUS_INFO_VW.BASE_T OTAL_AMOUNT),0) ORDER_MBR_FND_MTG_CUS_I NFO_VW.ORDER_STATUS_COD E='A' AND ORDER_MBR_FND_ MTG_CUS_INFO_VW.LINE_STA TUS_CODE = 'A' AND year(O RDER_MBR_FND_MTG_CUS_IN FO_VW.ORDER_DATE) = YEAR (GETDATE()) measure Sum no 0

Category = Currency \$#,##0.00

Object:	Total to Date Amount
Туре:	Number
Description:	The total To Date Amount in the system up to today.
Select equivalent:	isnull(sum(ORDER_MBR_FND
	_MTG_CUS_INFO_VW.BASE_T
	OTAL_AMOUNT),0)
Where equivalent:	ORDER_MBR_FND_MTG_CUS_I
	NFO_VW.ORDER_STATUS_COD
	E='A' AND ORDER_MBR_FND_
	MTG_CUS_INFO_VW.LINE_STA
	TUS_CODE = 'A'
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Format	Number
	Category = Currency
	\$#,##0.00
Object: Type:	Total Number of Gifts Number
	The Total Number of Gifts
Description:	
	in the system for Active I ines excluding Memo types
	lites excluding Merrio types
Select equivalent:	COUNT(distinct ORDER_MB
	R_FND_MTG_CUS_INFO_VW.O
	RDER_NO)
Where equivalent:	ORDER_MBR_FND_MTG_CUS_I
	NFO_VW.ORDER_STATUS_COD
	E='A' AND ORDER_MBR_FND_
	MTG_CUS_INFO_VW.LINE_STA
	TUS_CODE = 'A' AND ORDE
	R_MBR_FND_MTG_CUS_INFO_
	VW.PRODUCT_TYPE_CODE <>
	'MEMO'
Qualification:	measure

Aggregate function: List of values: Security access level: Can be used: Object status:	Sum no 0 in result, in condition, in sort show
Object:	Total Orders Number
Type: Description:	The Total Order line numbers in the system.
Select equivalent:	COUNT (distinct (ORDER_M BR_FND_MTG_CUS_INFO_VW. ORDER_LINE_NO) )
Where equivalent:	ORDER_MBR_FND_MTG_CUS_I NFO_VW.ORDER_STATUS_COD E = 'A' AND ORDER_MBR_FN D_MTG_CUS_INFO_VW.LINE_ STATUS_CODE = 'A'
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Tota Cash Donation Orders
Туре:	Number
Description:	The Tota Cash Donation Or
	ders in the system where
	PRODUCT_TYPE_CODE = 'CAS
	Η'.
Select equivalent:	COUNT(distinct ORDER_MBR _FND_MTG_CUS_INFO_VW.OR
Where equivalent:	DER_LINE_NO) ORDER_MBR_FND_MTG_CUS_I NFO_VW.ORDER_STATUS_COD E = 'A' AND ORDER_MBR_FN D_MTG_CUS_INFO_VW.LINE_ STATUS_CODE = 'A' AND OR DER_MBR_FND_MTG_CUS_INF O_VW.PRODUCT_TYPE_CODE = 'CASH'
Qualification:	measure

Aggregate function: List of values: Security access level: Can be used: Object status:	Sum no 0 in result, in condition, in sort show
Object: Type:	Total Amount Committed
Description:	This is the Total Amount of Active order lines including adjustments.
Select equivalent: Where equivalent:	isnull(SUM(FAR_TXN_COMMITTED.BASE_AMOUNT),0) FAR_TXN_COMMITTED.TXN_T YPE_CODE IN ('4','6') AN D ORDER_MBR_FND_MTG_CUS _INFO_VW.ORDER_STATUS_C ODE = 'A' AND ORDER_MBR _FND_MTG_CUS_INFO_VW.LI NE_STATUS_CODE = 'A'
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Format	Number Category = Currency \$#,##0.00
Object:	Total Amount Received
Type:	Number The Total Amount Received
Description:	for all Active order lines
	as a sum of receipts, ref
	unds and transfers.
Select equivalent:	(isnull(SUM(FAR_TXN_AMOUNT_RECEIVED.BASE_AMOUNT),0)*-1)
Where equivalent:	FAR_TXN_AMOUNT_RECEIVED
	.TXN_TYPE_CODE IN ('1','2
	','3') AND ORDER_MBR_FN
	D_MTG_CUS_INFO_VW.ORDER
	_STATUS_CODE = 'A' AND
	ORDER_MBR_FND_MTG_CUS_I
	NFO_VW.LINE_STATUS_CODE
	= 'A'

Qualification: Aggregate function: List of values: Security access level: Can be used: Object status: Format	measure Sum no 0 in result, in condition, in sort show Number Category = Currency \$#,##0.00
Object:	Total Balance Due
Туре:	Number
Description:	The Total Balance Due in t
	he system of Active order
	lines for all transaction t
	ypes.
Select equivalent:	
	isnull(SUM(FAR_TXN_BALANCE.BASE_AMOUNT),0)
Where equivalent:	FAR_TXN_BALANCE.TXN_TYPE
	_CODE IN ('1','2','3','4','
	6') AND ORDER_MBR_FND_M
	TG_CUS_INFO_VW.ORDER_ST
	ATUS_CODE = 'A' AND ORD
	ER_MBR_FND_MTG_CUS_INFO
	_VW.LINE_STATUS_CODE = ' A'
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Total Writeoff
Туре:	Number
Description:	The Total Writeoff transactions in the system for Active order lines.
Select equivalent:	isnull(SUM(FAR_TXN_WRITEOFF.BASE_AMOUNT),0)
Where equivalent:	FAR_TXN_WRITEOFF.TXN_TYP
	E_CODE IN ('5') and ORDER
	_MBR_FND_MTG_CUS_INFO_V
	W.ORDER_STATUS_CODE = 'A
	' AND ORDER_MBR_FND_MTG

	_CUS_INFO_VW.LINE_STATUS
	_CODE = 'A'
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Total Pledge Orders
Туре:	Number
Description:	The Total Pledge and Matc
	hing Gift Orders in the sy
	stem for Active order line
	S.
Select equivalent:	COUNT(distinct ORDER_MBR
	_FND_MTG_CUS_INFO_VW.OR
	DER_LINE_NO)
Where equivalent:	ORDER_MBR_FND_MTG_CUS_I
·	NFO_VW.ORDER_STATUS_COD
	E = 'A' AND ORDER_MBR_FN
	D_MTG_CUS_INFO_VW.LINE_
	STATUS_CODE = 'A'
	AND ORDER_MBR_FND_MTG_C
	US_INFO_VW.PRODUCT_TYPE
	_CODE IN ('PLEDGE','MATCH
	ING_GIFT')
Qualification:	measure
Aggregate function:	Sum
List of values:	no
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Total Amount Pledged
Туре:	Number
Description:	The Total Amountfor all pledges in system the for Active order lines.
Select equivalent:	isnull(SUM(FAR_TXN_AMOUNT_PLEDGED.BASE_AMOUNT),0)
Where equivalent:	FAR_TXN_AMOUNT_PLEDGED.
	TXN_TYPE_CODE IN ('4','6'
	) AND ORDER_MBR_FND_MT

Qualification: Aggregate function: List of values: Security access level: Can be used: Object status: Format	G_CUS_INFO_VW.ORDER_STA TUS_CODE = 'A' AND ORDER _MBR_FND_MTG_CUS_INFO_V W.LINE_STATUS_CODE = 'A' AND ORDER_MBR_FND_MTG_ CUS_INFO_VW.PRODUCT_TYP E_CODE IN ('PLEDGE') measure Sum no 0 in result, in condition, in sort show Number Category = Currency \$#,##0.00
Object:	Total Pledge Receipts
Type:	Number
Description:	The Total Sum of Pledge Receipts, Refunds and Tra
	nsfers in the system.
Select equivalent: Where equivalent: Qualification: Aggregate function: List of values: Security access level: Can be used: Object status:	isnull(SUM(FAR_TXN_PLEDGE_RECEIPTS.BASE_AMOUNT),0) FAR_TXN_PLEDGE_RECEIPTS. TXN_TYPE_CODE IN ('1','2' ,'3') AND ORDER_MBR_FND _MTG_CUS_INFO_VW.ORDER_ STATUS_CODE = 'A' AND O RDER_MBR_FND_MTG_CUS_IN FO_VW.LINE_STATUS_CODE = 'A' and ORDER_MBR_FND_M TG_CUS_INFO_VW.PRODUCT_ TYPE_CODE = 'PLEDGE' measure Sum no 0 in result, in condition, in sort show
Object:	Total Pledge Writeoffs
Туре:	Number
Description:	The Total Sum of all Pledg

e Writeoffs in the system for all Active order lines.

Select equivalent:	
Where equivalent: Qualification: Aggregate function: List of values: Security access level: Can be used: Object status:	<pre>isnull(SUM(FAR_TXN_PLEDGE_WRITEOFF.BASE_AMOUNT),0) FAR_TXN_PLEDGE_WRITEOFF. TXN_TYPE_CODE IN ('5') A ND ORDER_MBR_FND_MTG_CU S_INFO_VW.ORDER_STATUS_ CODE = 'A' AND ORDER_MB R_FND_MTG_CUS_INFO_VW.L INE_STATUS_CODE = 'A' an d ORDER_MBR_FND_MTG_CUS _INFO_VW.PRODUCT_TYPE_C ODE = 'PLEDGE' measure Sum no 0 in result, in condition, in sort show</pre>
Object: Type: Description:	Total Pledge Balance Number The Total Sum of all Pledg e Balances in the system f or Active order lines.
Select equivalent: Where equivalent:	<pre>isnull(SUM(FAR_TXN_PLEDGE_BALANCE.BASE_AMOUNT),0) FAR_TXN_PLEDGE_BALANCE.T XN_TYPE_CODE IN ('1','2', '3','4','6') AND ORDER_MB R_FND_MTG_CUS_INFO_VW.O RDER_STATUS_CODE = 'A' AND ORDER_MBR_FND_MTG_C US_INFO_VW.LINE_STATUS_C ODE = 'A' and ORDER_MBR_ FND_MTG_CUS_INFO_VW.PRO DUCT_TYPE_CODE = 'PLEDGE '</pre>
Qualification: Aggregate function: List of values: Security access level: Can be used:	, measure Sum no 0 in result, in condition, in sort

Object status:	show
Class: Description:	Fund Raising Campaign Info
Object: Type: Description:	Campaign Code Character The code to represent a giving campaign.
Select equivalent:	FND_CAMPAIGN.CAMPAIGN
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 273, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Campaign Description Character The text description of the camaign code.
Select equivalent:	FND_CAMPAIGN.DESCRIPTION
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 274, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Campaign Class Code Character The Campaign Class Code a ssigned to a campaign fro m Type Campaign_Class.
Select equivalent:	FND_CAMPAIGN.CAMPAIGN_CLASS_CODE
Where equivalent:	

Qualification: List of values: Security access level: Can be used: Object status:	dimension 275, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type:	Campaign Begin Date
Description:	The date the Campaign begins.
Select equivalent:	FND_CAMPAIGN.BEGIN_DATE
Where equivalent:	
Qualification:	dimension
List of values:	276, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Campaign End Date
Туре:	Date
Description:	The date the Campaign ends.
Select equivalent:	FND_CAMPAIGN.END_DATE
Where equivalent:	
Qualification:	dimension
List of values:	277, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Campaign Goal Amount
Туре:	Number
Description:	The Campaign goal amount entered on screen FND100_Campaigns.
Select equivalent:	FND_CAMPAIGN.GOAL_AMOUNT
Where equivalent:	
Qualification:	dimension

List of values: Security access level: Can be used: Object status:	278, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type:	Campiagn Linked Recognition Structure
Description:	The Recognition Structure linked to campaign.
Select equivalent:	FND_CAMPAIGN.RECOGNITION_STRUCTURE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 279, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	Parent Campaign Character Link a Parent Campaign for roll-up reporting of several campaigns.
Select equivalent:	FND_CAMPAIGN.PARENT_CAMPAIGN
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 27a, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object:	Organization ID
Type: Description:	Character The Organization ID of this campaign.
Select equivalent:	FND_CAMPAIGN.ORG_ID
Where equivalent:	
Qualification: List of values:	dimension 27b, editable, manual refresh, not exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Organization Unit ID
Type:	Character
Description:	The Organization Unit ID of this campaign.
Select equivalent:	FND_CAMPAIGN.ORG_UNIT_ID
Where equivalent:	
Qualification:	dimension
List of values:	27c, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Is Campaign Active?
Type:	Character
Description:	Flag to identify if the Campaign is Active
Select equivalent:	FND_CAMPAIGN.ACTIVE_FLAG
Where equivalent:	
Qualification:	dimension
List of values:	27d, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Is this Campaign Date Restricted?
Type:	Character
Description:	Flag to identify if the Campaign has an End Date.
Select equivalent:	FND_CAMPAIGN.DATE_RESTRICTED_FLAG
Where equivalent:	
Qualification:	dimension
List of values:	27e, editable, manual refresh, not exportable
Security access level:	0

Can be used: Object status:	in result, in condition, in sort show
Class: Description:	Fund Raising Appeals Info
Object:	Appeal
Туре:	Character
Description:	The code to represent the Appeal.
Select equivalent:	FND_APPEAL.APPEAL
Where equivalent:	
Qualification:	dimension
List of values:	27f, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Appeal Description
Туре:	Character
Description:	The description of the Appeal code.
Select equivalent:	FND_APPEAL.DESCRIPTION
Where equivalent:	
Qualification:	dimension
List of values:	27g, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Appeal Classs Code
Type:	Character
Description:	The category of the Appeal where the Type is APPEAL_CLASS.
Select equivalent:	FND_APPEAL.APPEAL_CLASS_CODE
Where equivalent:	
Qualification:	dimension

List of values: Security access level: Can be used: Object status:	27h, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type:	Appeal Begin Date Date
Description:	The date the Appeal begins.
Select equivalent:	FND_APPEAL.BEGIN_DATE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 27i, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type:	Appeal End Date Date
Description:	The date the Appeal ends.
Select equivalent:	FND_APPEAL.END_DATE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 27j, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object:	Appeal Goal Amount
Type: Description:	Number The Appeal Goal Amount assigned on screen FND120_Appeals.
Select equivalent:	FND_APPEAL.GOAL_AMOUNT
Where equivalent:	
Qualification: List of values:	dimension 27k, editable, manual refresh, not exportable

Security access level: Can be used: Object status:	0 in result, in condition, in sort show
Object: Type:	Appeal Suggested Amount
Description:	The Appeal suggested amount sent to every appeal prospect.
Select equivalent:	FND_APPEAL.SUGGESTED_AMOUNT
Where equivalent:	
Qualification:	dimension
List of values:	27l, editable, manual refresh, not exportable
Security access level: Can be used:	0 in result, in condition, in sort
Object status:	show
Object:	Tribute Type Code
Туре:	Character
Description:	The code to describe the h
	onor type as In Honor of a nd In Memory of.
Select equivalent:	FND_APPEAL.TRIBUTE_TYPE_CODE
Where equivalent:	
Qualification:	dimension
List of values:	27m, editable, manual refresh, not exportable
Security access level:	0
Can be used: Object status:	in result, in condition, in sort show
Object:	In Tribute To Description
Туре:	Character
Description:	The In Tribute to description of tribute code.
Select equivalent:	FND_APPEAL.IN_TRIBUTE_TO_DESCR
Where equivalent:	
Qualification:	dimension
List of values:	27n, editable, manual refresh, not exportable

Security access level: Can be used: Object status:	0 in result, in condition, in sort show
Object: Type: Description:	In Tribute to Full Name Character The In Tribute to label name from the linked customer.
Select equivalent:	CUSTOMER_APPEAL_IN_TRIBUTE.LABEL_NAME
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 27o, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	In Tribute to Primary Contact Full Name Character The In Tribute to Primary Contact label name from t he linked customer contact
Select equivalent:	CUSTOMER_APPEAL_IN_TRIB UTE_PRIMARY_CONTACT.LABE L_NAME
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 27p, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	In Tribute to ID Character The master customer ID of the linked tribute customer.
Select equivalent:	CASE WHEN FND_APPEAL.IN_ TRIBUTE_TO_SUB_CUST = 0

	THEN FND_APPEAL.IN_TRIBU TE_TO_MAST_CUST ELSE FND _APPEAL.IN_TRIBUTE_TO_MA ST_CUST+ '-' + CONVERT(V ARCHAR, FND_APPEAL.IN_TR IBUTE_TO_SUB_CUST) END
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 27q, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	In Tribute to Master ID Character The master customer ID of the linked tribute customer.
Select equivalent:	FND_APPEAL.IN_TRIBUTE_TO_MAST_CUST
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 27r, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	In Tribute to Sub ID Number The sub customer ID of the linked tribute customer.
Select equivalent:	FND_APPEAL.IN_TRIBUTE_TO_SUB_CUST
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 27s, editable, manual refresh, not exportable 0 in result, in condition, in sort show

Object: Type: Description:	In Tribute to Primary Contact ID Character The master customer ID of the primary contact.
Select equivalent:	CASE WHEN FND_APPEAL.TRI BUTE_PRIMARY_CONT_SUB_C UST = 0 THEN FND_APPEAL. TRIBUTE_PRIMARY_CONT_MA ST_CUST ELSE FND_APPEAL. TRIBUTE_PRIMARY_CONT_MA ST_CUST+ '-' + CONVERT(V ARCHAR, FND_APPEAL.TRIBU TE_PRIMARY_CONT_SUB_CUS T) END
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 27t, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type:	In Tribute to Primary Contact Master ID Character
Type:	Character
Type: Description:	Character The master customer ID of the primary contact.
Type: Description: Select equivalent:	Character The master customer ID of the primary contact.
Type: Description: Select equivalent: Where equivalent:	Character The master customer ID of the primary contact. FND_APPEAL.TRIBUTE_PRIMARY_CONT_MAST_CUST
Type: Description: Select equivalent: Where equivalent: Qualification: List of values: Security access level:	Character The master customer ID of the primary contact. FND_APPEAL.TRIBUTE_PRIMARY_CONT_MAST_CUST dimension 27u, editable, manual refresh, not exportable 0
Type: Description: Select equivalent: Where equivalent: Qualification: List of values: Security access level: Can be used:	Character The master customer ID of the primary contact. FND_APPEAL.TRIBUTE_PRIMARY_CONT_MAST_CUST dimension 27u, editable, manual refresh, not exportable 0 in result, in condition, in sort
Type: Description: Select equivalent: Where equivalent: Qualification: List of values: Security access level:	Character The master customer ID of the primary contact. FND_APPEAL.TRIBUTE_PRIMARY_CONT_MAST_CUST dimension 27u, editable, manual refresh, not exportable 0
Type: Description: Select equivalent: Where equivalent: Qualification: List of values: Security access level: Can be used: Object status: Object:	Character The master customer ID of the primary contact. FND_APPEAL.TRIBUTE_PRIMARY_CONT_MAST_CUST dimension 27u, editable, manual refresh, not exportable 0 in result, in condition, in sort show In Tribute to Primary Contact Sub ID
Type: Description: Select equivalent: Where equivalent: Qualification: List of values: Security access level: Can be used: Object status: Object: Type:	Character The master customer ID of the primary contact. FND_APPEAL.TRIBUTE_PRIMARY_CONT_MAST_CUST dimension 27u, editable, manual refresh, not exportable 0 in result, in condition, in sort show In Tribute to Primary Contact Sub ID Number
Type: Description: Select equivalent: Where equivalent: Qualification: List of values: Security access level: Can be used: Object status: Object:	Character The master customer ID of the primary contact. FND_APPEAL.TRIBUTE_PRIMARY_CONT_MAST_CUST dimension 27u, editable, manual refresh, not exportable 0 in result, in condition, in sort show In Tribute to Primary Contact Sub ID
Type: Description: Select equivalent: Where equivalent: Qualification: List of values: Security access level: Can be used: Object status: Object: Type:	Character The master customer ID of the primary contact. FND_APPEAL.TRIBUTE_PRIMARY_CONT_MAST_CUST dimension 27u, editable, manual refresh, not exportable 0 in result, in condition, in sort show In Tribute to Primary Contact Sub ID Number

Qualification:	dimension
List of values:	27v, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Is this Appeal Active?
Type:	Character
Description:	Flag to identify if the Appeal is Active, Y/N.
Select equivalent:	FND_APPEAL.ACTIVE_FLAG
Where equivalent:	
Qualification:	dimension
List of values:	27w, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Class: Description:	Fund Raising Fund Info
Object:	Fund
Type:	Character
Description:	The code to represent the fund.
Select equivalent:	FND_FUND.FUND
Where equivalent:	
Qualification:	dimension
List of values:	27x, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Fund Description
Type:	Character
Description:	The description of the fund code.
Select equivalent:	FND_FUND.DESCRIPTION

Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 27y, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object:	Fund Class Code
Туре:	Character
Description:	The category of the fund where the Type is FUND_CLASS.
Select equivalent:	FND_FUND.FUND_CLASS_CODE
Where equivalent:	
Qualification:	dimension
List of values:	280, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	Fund Begin Date
Object: Type:	Fund Begin Date
	-
Туре:	Date
Type: Description:	Date The date the fund begins.
Type: Description: Select equivalent:	Date The date the fund begins.
Type: Description: Select equivalent: Where equivalent:	Date The date the fund begins. FND_FUND.BEGIN_DATE
Type: Description: Select equivalent: Where equivalent: Qualification:	Date The date the fund begins. FND_FUND.BEGIN_DATE dimension
Type: Description: Select equivalent: Where equivalent: Qualification: List of values:	Date The date the fund begins. FND_FUND.BEGIN_DATE dimension 281, editable, manual refresh, not exportable
Type: Description: Select equivalent: Where equivalent: Qualification: List of values: Security access level:	Date The date the fund begins. FND_FUND.BEGIN_DATE dimension 281, editable, manual refresh, not exportable 0
Type: Description: Select equivalent: Where equivalent: Qualification: List of values: Security access level: Can be used: Object status:	Date The date the fund begins. FND_FUND.BEGIN_DATE dimension 281, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Type: Description: Select equivalent: Where equivalent: Qualification: List of values: Security access level: Can be used: Object status: Object:	Date The date the fund begins. FND_FUND.BEGIN_DATE dimension 281, editable, manual refresh, not exportable 0 in result, in condition, in sort
Type: Description: Select equivalent: Where equivalent: Qualification: List of values: Security access level: Can be used: Object status: Object: Type:	Date The date the fund begins. FND_FUND.BEGIN_DATE dimension 281, editable, manual refresh, not exportable 0 in result, in condition, in sort show Fund End Date
Type: Description: Select equivalent: Where equivalent: Qualification: List of values: Security access level: Can be used: Object status: Object:	Date The date the fund begins. FND_FUND.BEGIN_DATE dimension 281, editable, manual refresh, not exportable 0 in result, in condition, in sort show Fund End Date Date
Type: Description: Select equivalent: Where equivalent: Qualification: List of values: Security access level: Can be used: Object status: Object: Type:	Date The date the fund begins. FND_FUND.BEGIN_DATE dimension 281, editable, manual refresh, not exportable 0 in result, in condition, in sort show Fund End Date Date

Where equivalent:

Qualification: dimension List of values: 282, editable, manual refresh, not exportable Security access level: 0 Can be used: in result, in condition, in sort Object status: show Object: Fund Goal Amount Type: Number Description: The Fund Goal Amount assigned on screen FND110\_Funds. FND\_FUND.GOAL\_AMOUNT Select equivalent: Where equivalent: Qualification: dimension List of values: 283, editable, manual refresh, not exportable Security access level: 0 Can be used: in result, in condition, in sort Object status: show Object: In Tribute To Description Type: Character Description: The In Tribute to description of tribute code. Select equivalent: FND\_FUND.IN\_TRIBUTE\_TO\_DESCR Where equivalent: Qualification: dimension List of values: 284, editable, manual refresh, not exportable Security access level: 0 Can be used: in result, in condition, in sort Object status: show Object: Tribute Type Code Type: Character Description: The code to describe the h onor type as In Honor of a nd In Memory of for the F und.

Select equivalent:	FND_FUND.TRIBUTE_TYPE_CODE
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 285, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	In Tribute to Full Name Character The In Tribute to label name from the linked customer.
Select equivalent:	CUSTOMER_FUND_IN_TRIBUTE.LABEL_NAME
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 286, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	In Tribute to Primary Contact Full Name Character The In Tribute to Primary Contact label name from t he linked customer contact
Select equivalent:	CUSTOMER_FUND_IN_TRIBUTE_PRIMARY_CONTACT.LABEL_NAME
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 287, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type:	In Tribute to Primary Contact ID Character

Description:	The master customer ID of the primary contact.
Select equivalent:	CASE WHEN FND_FUND.TRIBU TE_PRIMARY_CONT_SUB_CUS T = 0 THEN FND_FUND.TRIB UTE_PRIMARY_CONT_MAST_C UST ELSE FND_FUND.TRIBUT E_PRIMARY_CONT_MAST_CUS T+ '-' + CONVERT(VARCHAR , FND_FUND.TRIBUTE_PRIMA RY_CONT_SUB_CUST) END
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 288, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	In Tribute to Primary Contact Master ID Character The master customer ID of the primary contact.
Select equivalent:	FND_FUND.TRIBUTE_PRIMARY_CONT_MAST_CUST
Where equivalent:	
Qualification: List of values: Security access level: Can be used: Object status:	dimension 289, editable, manual refresh, not exportable 0 in result, in condition, in sort show
Object: Type: Description:	In Tribute to Primary Contact Sub ID Number This is the In Tribute to Primary Contact Sub ID
Select equivalent:	FND_FUND.TRIBUTE_PRIMARY_CONT_SUB_CUST
Where equivalent:	
Qualification: List of values:	dimension 28a, editable, manual refresh, not exportable

Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	In Tribute ID
Type:	Character
Description:	The master customer ID of the linked tribute customer.
Select equivalent:	CASE WHEN FND_FUND.IN_TR IBUTE_TO_SUB_CUST = 0 TH EN FND_FUND.IN_TRIBUTE_T O_MAST_CUST ELSE FND_FUN D.IN_TRIBUTE_TO_MAST_CUS T+ '-' + CONVERT(VARCHAR , FND_FUND.IN_TRIBUTE_TO _SUB_CUST) END
Where equivalent:	
Qualification:	dimension
List of values:	28b, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	In Tribute to Master ID
Type:	Character
Description:	The master customer ID of the linked tribute customer.
Select equivalent:	FND_FUND.IN_TRIBUTE_TO_MAST_CUST
Where equivalent:	
Qualification:	dimension
List of values:	28c, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Object:	In Tribute to Sub ID
Type:	Number
Description:	The sub customer ID of the linked tribute customer.

Select equivalent:	FND_FUND.IN_TRIBUTE_TO_SUB_CUST
Where equivalent:	
Qualification: List of values:	dimension
Security access level:	28d, editable, manual refresh, not exportable 0
Can be used:	in result, in condition, in sort
Object status:	show
	Show
Object	
Object:	Is the Fund Active? Character
Type: Description:	Flag to identify if the fund has an End Date.
Description.	Flag to identify if the fund has all End Date.
Select equivalent:	FND_FUND.ACTIVE_FLAG
Where equivalent:	
Qualification:	dimension
List of values:	28e, editable, manual refresh, not exportable
Security access level:	0
Can be used:	in result, in condition, in sort
Object status:	show
Class: Description:	Conditions

No objects

## Condition List

Frequently Used Donation Info Pledge Information Pledge Payment Schedule Information Stock, Planned Giving, Other Donation Information : Stock Gift Restricted Gift Info Matching Gift Info Matching Gift that Matched This Donation Solicitor and Solicitor Teams In Tribute To Info

Marketing Info **Donation Soft Credit Recipient Donation GL Account Info** Donor / Prospect (Constituent) Info Donor Matching Gift Info **Donor Credits and Recognition** Donor Credits Donor Recognition **Donor Profile Demographics** List Demographics Donor Name, Address and Communication **Donor Demographics** Donor Current Membership Info Donor Primary Employer Info Donor Corporate Relationship Info Donor All Relationships Info Donor / Prospect Contact **Donor Proposals Donor Household** Household Address Household Member Household Fundraising Recognition Household Fundraising Credit Household Creation & Modification Info Estimated Giving Planned Giving **Miscellaneous Comments Giving Analysis** Fund Raising Campaign Info Fund Raising Appeals Info Fund Raising Fund Info Conditions OrgFilter Last Week Donors Last 12 Month Donations **Donation Date Range Current Year Donations** Last Year Donations Last 2 Fiscal Year Donations Last 2 Year Donations **Current Month Donations** Last year Donations
Some Year Donations YTD Donation MTD Donation By Campaign By Fund By Appeal **Current Campaign** Current Appeal **Current Fund** Current Gift Type By Donor By Donor Group By Donation Product Donations By List Code Donations By Market Code Donations By Key Code By Solicitor Team By Credit Type **Open Pledges Closed Pledges** By Fundraising By Meetings By Membership **Active Alert Messages** 

# Conditions

Class: Description: Conditions

OrgFilter

Description:

Where Equivalent:BO\_Psm\_Org\_Unit\_Memb er\_VW.Org\_Id=ORDER\_MBR\_FND\_MTG\_CUS\_I NFO\_VW.ORG\_ID and BO\_Psm\_Org\_Unit\_Me mber\_VW.Org\_Unit\_Id=ORDER\_MBR\_FND\_MT G\_CUS\_INFO\_VW.ORG\_UNIT\_ID and BO\_User

= @variable('BOUSER')

Last Week Donors

Description:Get the orders for last week given this weeks dates. Where Equivalent:ORDER\_MBR\_FND\_MTG\_CUS\_INFO\_VW.ORDER\_DATE between getdate()-7 AND getdate()

Last 12 Month Donations

Description:Get the orders beventween the system date and the fiscal year end month. Where Equivalent:ORDER\_MBR\_FND\_MTG\_CU S\_INFO\_VW.ORDER\_DATE between getdate( ) and FICAL\_YEAR\_ORGANIZATION.TWELVE\_ MONTH\_PERIOD\_DATE **Donation Date Range** Description:get the orders between the entered Begin and End date range. Where Equivalent:ORDER\_MBR\_FND\_MTG\_CU S\_INFO\_VW.ORDER\_DATE between @Prompt ('Enter Begin Date', 'D', mono, free) AND @Prompt('Enter End Date','D',,mono,fre e) **Current Year Donations** Description:Get all orders in the current year. Where Equivalent:year(ORDER\_MBR\_FND\_MTG\_CUS\_INFO\_VW.ORDER\_DATE)=year(getdate()) Last Year Donations Description:Get all the orders from last year. Where Equivalent:year(ORDER\_MBR\_FND\_M TG CUS INFO VW.ORDER DATE)>=year(get date())-1 and year(ORDER\_MBR\_FND\_MTG\_ CUS\_INFO\_VW.ORDER\_DATE)>=year(getdate ()) Last 2 Fiscal Year Donations Description:Get all orders in the last two fiscal years using the organization FY end month. Where Equivalent:year(ORDER\_MBR\_FND\_M TG\_CUS\_INFO\_VW.ORDER\_DATE)>=year(FIC AL YEAR ORGANIZATION.FISCAL YEAR END )-2 Last 2 Year Donations Description:Get the last two year's orders using calendar years. Where Equivalent:year(ORDER\_MBR\_FND\_M TG CUS INFO VW.ORDER DATE)>=year(get date())-2 and year(ORDER\_MBR\_FND\_MTG\_ CUS\_INFO\_VW.ORDER\_DATE)<=year(getdate ()) **Current Month Donations** Description:Get all orders in the current month. Where Equivalent:ORDER\_MBR\_FND\_MTG\_CU

S\_INFO\_VW.ORDER\_DATE >= DATEADD(mm,

DATEDIFF(mm,0, getdate()), 0)

AND ORDER_MBR_FND_MTG_CUS_INFO_VW.O RDER_DATE <= DATEADD(Month, 1, DATEAD D(mm, DATEDIFF(mm,0, getdate() ), 0))- 1	
Last year Donations Description:Get last year's orders Where Equivalent:year(ORDER_MBR_FND_MTG_CUS_INFO_VW.ORDER_DATE) = year(getdate())-1	
Some Year Donations Description:This takes into account the last two year's eliminating current year and the year before. ex if the current year is 2008, this will return donations made in 2005 and 2006 Where Equivalent:year(ORDER_MBR_FND_MTG_CUS_INFO_VW.ORDER_DATE) <= year(getdate())-2	
YTD Donation Description:All orders of the current year up to today. Where Equivalent:year(ORDER_MBR_FND_MTG_CUS_INFO_VW.ORDER_DATE)= YEAR(getdate())	
MTD Donation Description:All orders found in the current month. Where Equivalent:month(ORDER_MBR_FND_MTG_CUS_INFO_VW.ORDER_DATE)= month(getdate())	
By Campaign Description:Select orders from the selected campaign codes. Where Equivalent:ORDER_MBR_FND_MTG_CU S_INFO_VW.CAMPAIGN in @Prompt('Select Campaign','A','Fund Raising Campaign In fo\Campaign Code',multi,free)	
By Fund Description:Select orders from the selected fund codes. Where Equivalent:ORDER_MBR_FND_MTG_CU S_INFO_VW.FUND IN @Prompt('Select Fu nd','A','Fund Raising Fund Info\Fund',m ulti,free)	
By Appeal Description:Select orders from the selected appeal codes.	

Where Equivalent:ORDER\_MBR\_FND\_MTG\_CU

S\_INFO\_VW.APPEAL IN @Prompt('Select Ap

peal','A','Fund Raising Appeals Info\App

eal',multi,free)

#### Current Campaign

Description:Get all orders where the campaign dates are open for today's date. Where Equivalent:FND\_CAMPAIGN.END\_DATE > getdate() or FND\_CAMPAIGN.END\_DATE is null

### **Current Appeal**

Description:Get all orders where the appeal dates are open for today's date. Where Equivalent:FND\_APPEAL.END\_DATE > getdate() or FND\_APPEAL.END\_DATE is null

#### Current Fund

Description:Get all orders where the fund dates are open for today's date. Where Equivalent:FND\_FUND.END\_DATE > getdate() or FND\_FUND.END\_DATE is null

### Current Gift Type

Description:Get all fundraising products that are available to order today. Where Equivalent:PRODUCT.AVAILABLE\_TO \_ORDERS\_FLAG = 'Y' and PRODUCT.VALID\_ FLAG = 'Y' and PRODUCT.AVAILABLE\_DATE < getdate() and (PRODUCT.EXPIRATION\_D ATE > getdate() or PRODUCT.EXPIRATION\_ DATE is null)

### By Donor

Description:Get the master customer ID for current donors. Where Equivalent:FND\_CUSTOMER.MASTER\_ CUSTOMER\_ID in @Prompt('Select Master Customer ID','A','Frequently Used\Donor Master ID',multi,free)

### By Donor Group

Description:Get the Active donors by Donor Class codes. Where Equivalent:ORDER\_MBR\_FND\_MTG\_CU S\_INFO\_VW.BILL\_CUSTOMER\_CLASS\_CODE i n @Prompt('Donor Group','A','Frequently Used\Donor Class Code',multi,free)

### By Donation Product

Description:Get the product codes in orders for the selected product codes. Where Equivalent:ORDER\_MBR\_FND\_MTG\_CU S\_INFO\_VW.PRODUCT\_CODE in @Prompt('Do nation Product','A','Frequently Used\Do nation Gift Code',multi,free)

#### Donations By List Code

Description:Get the List codes from the selected codes used and found in Contact Tracking.

Where Equivalent:CUS\_ACTIVITY\_CONTACT .LIST\_CODE in @Prompt('List Code','A',' Donor / Prospect Contact\List Code',mul ti,free) Donations By Market Code Description:Get the Market codes from the selected codes found in Contact Tracking. Where Equivalent:CUS\_ACTIVITY\_CONTACT .MARKET\_CODE in @Prompt('Market Code', 'A', 'Donor / Prospect Contact\Market Co de',multi,free) Donations By Key Code Description:Get the Key codes from the selected codes used and found in Contact Tracking. Where Equivalent:CUS\_ACTIVITY\_CONTACT .KEY\_CODE in @Prompt('Key Code','A','Do nor / Prospect Contact\Key Code',multi, free) By Solicitor Team Description:Get the list of solicitor teams assigned to customers. Where Equivalent: FND CUSTOMER SOLICIT OR\_TEAM.TEAM IN @Prompt('Solicitor Tea m','A','Solicitor and Solicitor Teams\So licitor Team', multi, free) By Credit Type Description:Get FND\_CREDIT records by the selected Credit Type codes. Where Equivalent: FND\_CREDIT.CREDIT\_TY PE\_CODE IN @Prompt('Credit Type','A','D onor Credits\Credit Type Code',multi,fre e) **Open Pledges** Description:Get orders with an open pledge date greater than today. Where Equivalent: ORDER\_FND\_DETAIL.PLEDGE\_END\_DATE>getdate() **Closed Pledges** Description:Get orders with pledge date less than today. Where Equivalent: ORDER\_FND\_DETAIL.PLEDGE\_END\_DATE<getdate() By Fundraising

Description:All orders in Fundraising. Where Equivalent:ORDER\_MBR\_FND\_MTG\_CUS\_INFO\_VW.SUBSYSTEM='FND'

By Meetings

Description:All order lines in Meetings. Where Equivalent:ORDER\_MBR\_FND\_MTG\_CUS\_INFO\_VW.SUBSYSTEM='MTG'

By Membership

Description:All order lines in Membership. Where Equivalent:ORDER\_MBR\_FND\_MTG\_CUS\_INFO\_VW.SUBSYSTEM='MBR'

Active Alert Messages Description:Identifies the alert message s that are active. Adding this filter to the report only shows the active alert m essages. Where Equivalent:CUS\_ALERT.ACTIVE\_FLAG='Y'

## **Hierarchies List**

No Hierarchies

## Hierarchies

No Hierarchies

FND

### FND\_HH\_I APP\_CODE\_ (APP\_C CUS\_ADDR (CUS\_ADD APP\_CODE (APP\_C ORDER\_DETAIL\_ORIGIN CUSTOMER\_APPEAL\_IN\_TRIBUTE (ORDER\_DET (CUSTOMER) € FND\_APPEAL CUSTOMER\_APPEAL\_IN\_TRIBUTE\_PRIMARY\_CONTACT (CUSTOMER) FND\_PLANNED\_GI € CUSTOMER\_FND\_PLANNED\_GIVING (CUSTOMER) PRODUCT CUS\_COMMENT FND\_CU APP\_CODE\_GIVING\_CLASS APP\_CODE\_HH\_MEMBER\_ROLE (APP\_CODE) (APP\_CODE) CUS APP\_CODE\_GIVING\_STATUS (APP\_CODE) С CUSTOMER\_HH\_MEMBER FND\_HH\_CREDIT (CUSTOMER) CUS\_CURRENT\_M Cus\_Relationship\_Related\_Cus Cus\_Relationship\_All\_Relation\_ (Cus\_Relationship\_Related\_Cus Cus\_Relationship\_Subsidiary\_ (Cus\_Relationship\_Related\_Cus CUS\_DEMOGRAPHIC CUS\_FND\_MATCH MKT\_MAI FND70 FND\_CUSTOMER\_SOLICITOR\_TEAM ≽

\_

~ . . .

~~~~~~

----





ATCHING\_GIFT\_SOFT\_CREDIT (CUSTOMER)



PSM\_USER (PSM\_U



| ALIAS TABLES DONT REMOVE !!!!!! |
|---------------------------------|
| CUSTOMER                        |
| CUS_ADDRESS_DETAIL              |
| CUS_ADDRESS                     |
| CUS_ACTIVITY                    |
| ORDER_DETAIL                    |
| APP_CODE                        |
| FND_DONOR_VW                    |
| ORDER_MASTER                    |

FAR\_TXN\_DETAIL